

I,1

EPA Region 5 Records Ctr.



267871

**LETTER REPORT
FOR
GILBERTS TOWER HILL SITE
GILBERTS, KANE COUNTY, ILLINOIS**

Prepared for

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region V Emergency Response Branch
77 West Jackson Boulevard
Chicago, Illinois 60604

Prepared by

WESTON SOLUTIONS, INC.
20 North Wacker Drive, Suite 1210
Chicago, Illinois 60601

Date Prepared	April 25, 2006
TDD Number	S05-0505-002
Document Control Number	532-2A-AGFW
Contract Number	68-W-00-119
START Project Manager	Tonya Balla
Telephone No.	(847) 918-4094
U.S. EPA On-Scene Coordinator	Mike Ribordy

**LETTER REPORT
FOR
GILBERTS TOWER HILL SITE
GILBERTS, KANE COUNTY, ILLINOIS**

Prepared for

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region V Emergency Response Branch
77 West Jackson Boulevard
Chicago, Illinois 60604

Prepared by

WESTON SOLUTIONS, INC.
20 North Wacker Drive, Suite 1210
Chicago, Illinois 60601

April 25, 2006

Prepared by


for Bryan McKinnon
START Project Lead

Date

4-25-06


Reviewed by


Tonya Balla
START Project Manager

Date

4-25-06

Reviewed by


for Pamela Bayles
START Program Manager

Date

4-25-06



Weston Solutions, Inc.
Suite 500
750 East Bunker Court
Vernon Hills, IL 60061-1865
847-918-4000 • Fax 847-918-4055
www.westonsolutions.com

25 April 2006

Ms. Gail Stanuch
United States Environmental Protection Agency
Region V
77 W. Jackson Boulevard, 5th Floor
Chicago, IL 60604

Re: Gilberts Tower Hill Site
Gilberts, Kane County, IL
TDD: S05-0505-002
DCN: 532-2A-AGFW
WO#: 12634.001.001.0532.00

Dear Ms. Stanuch:

The United States Environmental Protection Agency (U.S. EPA) tasked the Weston Solutions, Inc. (WESTON®) Superfund Technical Assessment and Response Team (START), under Technical Direction Document (TDD) S05-0505-002, to assist with site removal activities at the Gilberts Tower Hill site (Tower Hill) in Gilberts, Kane County, Illinois. The removal activities consisted of the following:

- Excavating crushed lead (Pb) battery casings;
- Excavating soil and debris containing elevated lead levels;
- Fixating the lead within the excavated material; and
- Transporting and disposing of excavated materials.

WESTON START conducted oversight activities under the direction of the U.S. EPA On-Scene Coordinator (OSC) that included air monitoring, screening excavated areas using an X-Ray Fluorescence Spectrometer (XRF), collecting confirmation samples for off-site laboratory analysis, and providing written and photographic documentation of site activities.

\\WOW\START\35992RPT.WPD

532-2A-AGFW

an employee-owned company

This document was prepared by Weston Solutions, Inc., expressly for U.S. EPA. It shall not be released or disclosed in whole or in part without the express, written permission of U.S. EPA.





Ms. Gail Stanuch
United States Environmental Protection Agency

-2-

25 April 2006

SITE DESCRIPTION

The property at 114 Tower Hill Road, Gilberts, Illinois, is commonly known as the Tower Hill site. The overall property is approximately 4.99 acres. A portion of the Tower Hill property (OU-1) is currently owned by NextMedia Operating, Inc., (NextMedia) and consists of vacant farmland and wetlands. A radio transmitting tower is located on the northern portion of the NextMedia property and is the only structure on the property. The NextMedia property is being investigated and remediated by a private contractor for NextMedia and is not part of this scope of work. A narrow strip of the Tower Hill Road site (OU-2), approximately 50 feet by 800 feet, is owned the Village of Gilberts (Village) and the Union Pacific Railroad. The eastern portion of the site, owned by the Village and the Railroad, is referred to as Tower Hill for the remainder of this report, unless otherwise noted.

Tower Hill is an abandoned lead-acid battery recycling facility located in the northeast quarter of Section 23, Township 42 North, Range 7 East of the Third Principal Meridian in Gilberts, Kane County, Illinois (latitude 42.1053 North, longitude 88.3761 West) (Attachment A, Figures 1 and 2). Tower Hill is bound on the east by the Village public works access road off of Tower Hill Road and the Union Pacific railroad tracks, with residential properties adjacent to the tracks; on the south by additional residential properties and a park; and on the west by marsh area and the NextMedia property. The site is relatively flat. The northern and southern portions of Tower Hill are covered with grass; the central portion consists of the Village public works building, a road salt shelter, and a gravel parking/storage area for municipal vehicles. There is no on-site potable water supply. The majority of the residential properties near the site (approximately 58) are connected to the public water supply and sanitary sewer system. Five homes west of Tower Hill Road reportedly have private wells.



Ms. Gail Stanuch
United States Environmental Protection Agency

-3-

25 April 2006

BACKGROUND

During the early-to-middle 1960's, a battery cracking/lead recycling operation was located on portions of the Tower Hills site that now comprises the properties owned by NextMedia and the Village/Railroad. The battery salvage operator, Mr. Raymond L. McNew, reportedly cracked the batteries on site. Batteries were broken open and acid material drained onto the ground. The lead was stored on site for reprocessing and the plastic battery casings were discarded.

In 1968, Mr. McNew relocated his operation to a leased location at 153 Railroad Street approximately 600 feet to the north of Tower Hill, under approval from the property owner, Mr. Hennessy, which is commonly referred to as the Gilberts Kedzie site. Operations continued at Gilberts Kedzie with batteries being cracked on site and the lead stored and reprocessed. For both operations, lead batteries were the primary economic incentive but scrap of all types was accepted. On the Gilberts Kedzie site, the plastic battery casings were backfilled into low lying areas on site. These low-level areas were originally excavated for the rich clay used by a clay tile manufacturing plant operating on the Gilberts Kedzie premises in the early 1900's. Reportedly, these low-lying areas also may have been used previously as municipal waste receptacles. The Tower Hill/Gilberts Kedzie operations serviced a large area encompassing most of northeastern Illinois.

In 1977, the Illinois Environmental Protection Agency (IEPA) first recorded violations of solid waste regulations with potential pollution of ground water supplies. IEPA records indicate that in May 1978, operations at both sites ceased.

On March 26, 2004, U.S. EPA conducted a site inspection of Gilberts Kedzie to evaluate the need for a removal action. U.S. EPA deemed that an emergency removal action was necessary to mitigate immediate threats to public health, welfare, and the environment due to elevated lead levels in the surface soils and accessibility of the property to the public.



Ms. Gail Stanuch
United States Environmental Protection Agency

-4-

25 April 2006

On April 28 and 29, 2004, the IEPA Office of Site Assessment, in cooperation with U.S. EPA, conducted an assessment of the Gilberts Kedzie site. During this assessment, U.S. EPA and IEPA representatives had the opportunity to talk with area residents and Village officials about the historical site activity. At this time, U.S. EPA and IEPA became aware that similar battery breaking/lead recycling activities may have occurred at the Tower Hill location.

On June 3 and 4, 2004, the IEPA Office of Site Assessment, cooperating with U.S. EPA, conducted an assessment of Tower Hill in response to its connection to the Gilberts Kedzie site. During the Tower Hill assessment, IEPA and U.S. EPA assessed approximately 50 sampling locations using a Geoprobe® coring machine and an XRF. They also took nine soil samples that were sent to U.S. EPA Region V's Central Regional Laboratory for additional analysis. The XRF detected lead concentrations up to 33,807 parts per million (ppm) in surface soil at Tower Hill. The sampling locations are presented in Figure 3 and sampling results in Table 1.

An Action Memorandum dated September 22, 2004, was approved for the U.S. EPA to abate the imminent and substantial threat to public health posed by the presence of elevated levels of lead and arsenic in soils (both at the surface and at depth) at Tower Hill.

REMOVAL ACTIONS

During the week of May 9, 2005, U.S. EPA, WESTON START, and U.S. EPA's Emergency Removal and Response Services (ERRS) contractor, Earth Tech, Inc., mobilized to the Tower Hill site to initiate disposal actions. ERRS arranged utility locates for the planned excavation areas, mobilized equipment to the site, erected a fence around the proposed excavation area, and obtained treatment agent. Beginning May 12, 2006, U.S. EPA and START conducted oversight while ERRS excavated crushed battery chips, soil, and debris; treated excavated material *in situ* using a lead fixating agent; and excavated treated material for placement into dump trucks for disposal. During the removal activities, WESTON START conducted field screening of excavated areas using an

I:\WO\START\35992RPT.WPD 532-2A-AGFW

This document was prepared by Weston Solutions, Inc., expressly for U.S. EPA. It shall not be released or disclosed in whole or in part without the express, written permission of U.S. EPA.



Ms. Gail Stanuch
United States Environmental Protection Agency

-5-

25 April 2006

XRF. START established approximately 20-foot by 20-foot sampling transects and collected 205 confirmation samples. START collected both written and photographic documentation of removal activities. Attachment C presents the photo log. A total 7,253.94 tons of treated material were transported and disposed off site. Attachment D presents a summary of the waste disposal information. WESTON START also conducted air monitoring during the removal action using a Personal Data Ram® (PDR) and Gillian pump cassette samplers. Air monitoring results are presented in Attachment B, Table 2. In general, the sample results represented field conditions and indicated that there was no exceedances of the Occupational Safety and Health Administration (OSHA) time waited average (TWA) for an 8 hour work period (0.050 mg/m³).

The Tower Hill removal activities included the following:

- ERRS excavated crushed battery chips, soil, and debris that included spent tires. The excavated material was placed adjacent to the excavated area and treated. Tires were segregated from the excavated material and staged at the Gilberts Kedzie site before being removed by a state licensed waste tire transporter. START screened the floor and sidewalls of the excavation using an XRF to confirm lead levels were below the site cleanup levels (400 ppm for total lead and 13 ppm for arsenic for the area south of 600 Tower Hill Road up to the salt shed; 800 ppm for the remainder of the site).
- ERRS treated the crushed battery chips, soil, and debris *in situ* through the introduction of a treatment agent using heavy equipment. The excavated materials were staged adjacent to the excavated area in manageable stockpiles. A wheel loader supplied the excavator with treatment agent. The excavator then commingled the treatment agent with the excavated material. EnviroComp, Inc., supplied the treatment agent SulfiTech A/T®. SulfiTech A/T® is an inhibited sulfite-based treatment system, which reacts with soluble lead to form the insoluble mineral Scotlandite (lead sulfite, or Pb[SO₃]²). SulfiTech A/T® resulted in treated soil and debris with Toxicity Characteristic Leachate Procedure (TCLP) results below the regulatory limit for TCLP lead (5 milligrams per liter [mg/L]). Due to the varying availability of the treatment agent, ERRS additionally used a product supplied by Metals Treatment Technologies, L.L.C. (MT²), ECOBOND™, to fixate lead. ECOBOND™ is a non-hazardous phosphate chemical additive that chemically stabilizes lead. ECOBOND™ also resulted in treated soil and debris with TCLP results below the regulatory limit for TCLP lead. ERRS used a combined total of

\\WOSTART\35992RPT.WPD

532-2A-AGFW

This document was prepared by Weston Solutions, Inc., expressly for U.S. EPA. It shall not be released or disclosed in whole or in part without the express, written permission of U.S. EPA.



Ms. Gail Stanuch
United States Environmental Protection Agency

-6-

25 April 2006

167.43 tons of treatment agents at Tower Hill. Following the addition of treatment agent, ERRS backfilled the treated material into the excavated areas to avoid open excavations while transportation and disposal planning was finalized.

- Once analytical results indicated the treated material was below the regulatory limit for TCLP lead and arsenic, ERRS re-excavated the treated battery chips, soil, and debris, staged and stockpiled it adjacent to the Tower Hill access road for transportation and disposal. START re-screened excavated areas by using an XRF to screen for elevated lead levels. START established approximately 20-foot by 20-foot transects within the cleared excavations. The transects were a guide for collecting confirmation samples. START collected confirmation samples from the floor and sidewalls of the excavation. Samples were collected using sterile poly scoops and aluminum tins. The sample material was placed into the tins and baked in a toaster oven at approximately 400 degrees Fahrenheit for approximately one hour. START then screened the samples using an XRF. Attachment B, Table 3, presents XRF confirmation screening results. ERRS continued to excavate until each section was confirmed to be below the removal action cleanup level based on START's findings during the XRF screening. ERRS' excavation for transportation and disposal of treated material began at the northernmost end of the site. START cleared the excavated areas as ERRS progressed southward. Based on XRF screening that yielded results below the clean-up level, ERRS completed excavations just south of the garage. ERRS excavated 7,253.94 tons of treated material which were transported to and disposed of at Onyx Orchard Hills Landfill located in Davis Junction, Illinois.
- START used a sample design in which every tenth floor sample (sidewall samples were not included in this schedule) were submitted to an accredited laboratory (laboratory analysis was procured and handled by ERRS) for total lead and total arsenic analysis. Attachment B, Table 4, presents a summary of the fixed laboratory analytical results.
- ERRS backfilled portions of the excavated areas with 4,505.91 tons of FA-6 coarse sand and 1,084 cubic yards of topsoil atop the sand. In the Village garage and storage areas, ERRS replaced the gravel removed during excavation with 2,126.67 tons of CA-6 crushed stone and replaced approximately 222 linear feet of wood fence surrounding the parking and storage areas.
- On July 1, 2005, removal activities at the Tower Hill site were completed. ERRS decontaminated site supplies and equipment. U.S. EPA, START, and ERRS demobilized from the site.



Ms. Gail Stanuch
United States Environmental Protection Agency

-7-

25 April 2006

- On August 26, the road was chip and sealed to repair damage caused by the removal actions and to ensure that the road remains a protective barrier.
- ERRS hired a subcontractor to seed and landscape approximately three acres of the excavation to return the property to its original state. On September 30, 2005, the site was mowed, seeded, and mulched. Straw mulch crimping and a Class 1A salt-tolerant land mixture were used to landscape the three acres. These activities were delayed due to the extremely dry weather during the summer months.

There are several areas where the site cleanup levels were not met due to obstructions or engineered barriers already in place. Lead levels above the site cleanup levels remain in the following areas:

- The sidewall forming the western border of the excavation approximately aligns with the NextMedia property line. Elevated readings in this area will be addressed as part of the PRP investigation at that property. The locations of these elevated reading is presented in Attachment 3, Figure 5.
- The sidewall forming the eastern border of the excavation on the northern half of the site approximately aligns with the western edge of the Village public works access road. Some of the sidewall confirmation samples in this area were above the site cleanup level indicating that some lead contamination is present under the access road. Excavating activities stopped at the access road because the road has a pre-existing asphalt and/or oil and chip layer to form a cap over the contaminated media. This asphalt cap alleviates the risk to lead exposure from underlying crushed battery chips and soil. Attachment 3, Figure 5, provides the sampling locations in this area with lead levels above the cleanup level.
- A gas line is located under the northern half of the site, running from Mill Street to the public works building. Excavation in the area of the gas line was only conducted down to a depth of approximately 24 inches to avoid damaging the gas line. Some of the confirmation samples taken in this area had lead levels above the site cleanup levels, however this contamination is present approximately 24" below the ground surface in the immediate vicinity of the gas line. Attachment 3, Figure 5, provides these sampling locations above the gas line with lead levels above the cleanup level.



Ms. Gail Stanuch
United States Environmental Protection Agency

-8-

25 April 2006

Resources Committed

Extramural Costs


Total ERRS Contractor Costs	\$450,000
Total START Costs	\$ 22,000
Extramural Total	\$472,000
Project Ceiling	\$527,275


(These costs reflect costs known to the OSC and may not reflect final costs.)

The preparation of this letter report serves as the final TDD deliverable. All tasks pertaining to this TDD have been completed. If there are any questions or comments regarding this report, please contact WESTON's office at 847.918.4000.

Very truly yours,

Weston Solutions, Inc.


Bryan McKinnon
START Project Lead


Tonya Balla
START Project Manager

Attachment: A Figures
B Tables
C Photos

cc: Mike Ribordy, USEPA Region V OSC
START TDD File


I:\WO\START\35992RPT.WPD

532-2A-AGFW

This document was prepared by Weston Solutions, Inc., expressly for U.S. EPA. It shall not be released or disclosed in whole or in part without the express, written permission of U.S. EPA.

ATTACHMENT A

Figures






Figure 2




0 100 Feet



Weston Solutions, Inc.
750 E. Bunker Dr.
Suite 500
Vernon Hills, IL 60061

Base Map
Tower Hill
Gilberts, Illinois





Legend

- Parcels
- Tower Hill Sampling Locations
- Floor of Excavation
- Sidewall of Excavation
- Atop of Gas Main

Note: Sub-meter accurate GPS unit was used to collect the sampling location coordinates. Accuracy depended on the availability of the satellites at the time the data was collected




0 60 Feet



Weston Solutions, Inc.
750 E. Bunker Dr.
Suite 500
Vernon Hills, IL 60061

Confirmation Sample Location Map
Tower Hill
Gilberts, Illinois

Figure 4



Legend

Parcels

Tower Hill Sampling Locations

- Lead Concentration < 700 mg/kg Screening Criteria
- Lead Concentration > 700 mg/kg Screening Criteria
- Lead Concentration < 400 mg/kg Screening Criteria
- Lead Concentration > 400 mg/kg Screening Criteria

Note: Sub-meter accurate GPS unit was used to collect the sampling location coordinates. Accuracy depended on the availability of the satellites at the time the data was collected

0

60 Feet



Weston Solutions, Inc.
750 E. Bunker Dr.
Suite 500
Vernon Hills, IL 60061

Confirmation Sample Locations With Lead Concentrations Above Site Cleanup Levels
Tower Hill
Gilberts, Illinois

Figure 5

ATTACHMENT B

Tables

Table 1
Tower Hill Road Site Assessment
Lead Screening and Sampling Results

Sample ID	Tower Hill Road Property	IEPA Survey ID Number	Sample Date	Depth	XRF (a)	Depth (b)	Total Lead Results ^(c)	TCLP Lead Results ^(d)
				Feet	mg/kg	Feet	mg/kg	mg/L
X201	Village	1	6/3/2004	0	8,592.4	0-1	48,000.0	NA
				1	18,559.3			
				2	142,216.8			
				3	487.1			
				4	279.9			
NS	Village	2	6/3/2004	0	10,705.5			
				1	47,377.6			
				2	288.2			
				3	133.6			
				4	64.9			
X202	Village	3	6/3/2004	0	8,562.4	1.0	67,000.0	NA
				1	33,083.8			
				2	283.9			
				3	116.8			
				4	12,168.8			
NS	Village	4	6/3/2004	0	2,145.7			
				1	17,455.5			
				2	147.1			
				3	84.7			
X203	Railroad	5	6/3/2004	0	5,775.0	0-1	6,000.0	NA
				0	3,801.9			
				1	5,774.6			
				2	56.1			
				3	22.3			
NS	Railroad	6	6/3/2004	0	1,239.0			
				1	129.6			
				2	32.8			
X204	Railroad	7	6/3/2004	0	1,292.6	1.0	5,200.0	NA
				1	6,981.0			
				2	37.2			
				3	30.4			
NS	Village	8	6/3/2004	0	756.2			
				0	705.6			
				1	38.8			
				2	29.2			
				3	35.5			
NS	Tower	9	6/3/2004	0	83.6			
				1	33.3			
				2	43.2			
NS	Tower	10	6/3/2004	0	61.4			
				1	25.2			
				2	37.7			
NS	Tower	11	6/3/2004	0	23.9			
				1	22.3			
				2	24.1			
NS	Tower	12	6/3/2004	0	39.6			
				1	27.7			
				2	28.9			
NS	Tower	13	6/3/2004	0	59.2			
				1	23.1			
				2	22.8			
NS	Tower	14	6/3/2004	0	6,194.1			
				1	102.4			
				2	21.6			

Table 1
Tower Hill Road Site Assessment
Lead Screening and Sampling Results

Sample ID	Tower Hill Road Property	IEPA Survey ID Number	Sample Date	Depth	XRF (a)	Depth (b)	Total Lead Results ^(c)	TCLP Lead Results ^(d)
				Feet	mg/kg	Feet	mg/kg	mg/L
X205	Village	15	6/3/2004	0	946.1			
				1	1,086.0	1.0	1,900.0	NA
				2	949.5			
				3	1,010.8			
				4	56.5			
X206	Railroad	16	6/3/2004	0	108.9			
				1	1,737.4	1.0	3,100.0	NA
				2	1,201.2			
				3	-			
				4	24.7			
X207	Tower	17	6/3/2004	0	667.3			
				1	511.3			
				2	274.3			
				3	2,282.7	3.0	4,800.0	NA
				4	59.6			
NS	Village	18	6/3/2004	0	461.7			
				1	9.0			
				2	2,542.3			
				2.5	1,316.6			
				3	62.9			
NS	Tower	19	6/3/2004	0	260.1			
				1	6.8			
				2	17.1			
NS	Village	20	6/3/2004	0	360.4			
				1	2,374.8			
				2	20.3			
				3	24.8			
X208	Village	21	6/3/2004	0	3,312.0			
				1	1,159.4			
				2	12,007.0	2.0	8,600.0	NA
				3	35.0			
				4	43.3			
X209	Village	3	6/3/2004		5,775.0	0-1	2,600.0	44.4
NS	Railroad	22	6/3/2004	0	572.4			
				1	72.6			
				2	24.7			
				3	23.1			
NS	Railroad	23	6/3/2004	0	732.3			
				1	15.0			
				2	18.7			
NS	Railroad	24	6/3/2004	0	157.1			
				1	22.6			
				2	45.8			
NS	Railroad	25	6/3/2004	0	305.4			
				1	725.1			
				2	98.0			
				3	31.3			
NS	Railroad	26	6/3/2004	0	92.6			
				1	2,904.6			
				2	129.1			
				3	25.1			
NS	Village	27	6/3/2004	0	958.8			
				1	72.8			
				2	64.4			

Table 1
Tower Hill Road Site Assessment
Lead Screening and Sampling Results

Sample ID	Tower Hill Road Property	IEPA Survey ID Number	Sample Date	Depth	XRF (a)	Depth (b)	Total Lead Results (c)	TCLP Lead Results (d)
				Feet	mg/kg	Feet	mg/kg	mg/L
NS	Village	28	6/3/2004	0	45.9			
				1	6,281.6			
				2	138.4			
				3	53.0			
				4	25.9			
NS	Village	29	6/3/2004	0	483.4			
				1	4,327.3			
				2	63.7			
				3	23.5			
				4	17.2			
NS	Village	30	6/3/2004	0	259.8			
				1	1,350.7			
				2	31.8			
				3	28.8			
NS	Railroad	31	6/3/2004	0	279.8			
				1	32.5			
				2	38.7			
NS	Railroad	32	6/3/2004	0	4,100.6			
				0	7,758.2			
				1	4,076.4			
				2	40.4			
				3	31.7			
NS	Railroad	174	6/4/2004	0	755.4			
NS	Village	171	6/4/2004	0	841.8			
NS	Village	172	6/4/2004	0	122.8			
NS	Tower	177	6/4/2004	0	201.9			
NS	Tower	178	6/4/2004	0	14,623.9			
NS	Tower	180	6/4/2004	0	92,808.5			
NS	Village	181	6/4/2004	0	7,820.2			
NS	Village	182	6/4/2004	0	30,652.9			
NS	Village	183	6/4/2004	0	33,807.5			
NS	Tower	184	6/4/2004	0	1,980.9			
NS	Tower	185	6/4/2004	0	65,516.5			
NS	Tower	186	6/4/2004	0	2,130.6			
NS	Tower	187	6/4/2004	0	222.0			
NS	Village	189	6/4/2004	0	1,822.8			
NS	Village	190	6/4/2004	0	1,908.3			
NS	Village	191	6/4/2004	0	7,554.4			
NS	Village	192/193	6/4/2004	0	2,634.5			
NS	Village	194	6/4/2004	0	2,564.4			
NS	Village	195	6/4/2004	0	181.0			
NS	Village	196	6/4/2004	0	213.1			
NS	Village	197	6/4/2004	0	21,339.3			
NS	Village	198	6/4/2004	0	2,603.5			
NS	Village	199	6/4/2004	0	15,738.3			

(a) XRF reading taken by IEPA.

(b) 1 foot composite of the core.

(c) Analytical results compared to Section 35 Illinois Administrative Code, Part 742 - Tiered Approach to Corrective Action

(d) Analytical results compared to 40 CFR 261.24..

Bold Items - above comparison criteria.

BDL - below detection limit

IEPA - Illinois Environmental Protection Agency

NA - sample not analyzed

NS - not sampled

mg/kg - milligrams per kilogram

mg/L - milligrams per liter

TCLP - Toxicity Characteristic Leaching Procedure

XRF - X-Ray Fluorescence Spectrometer

Table 2
Air Monitoring Results
Tower Hill Removal Site
Gilberts, Kane County, Illinois

Sample Name	Collection Date	Sampling Location	Total Volume (Liters)	Amount (µg)	Concentration (mg/M3)	OSHA PEL/8-hour TWA (mg/M3)
1	06/09/05	Worn on START*	16.136	< 2.00	< 0.124**	0.050
2	06/09/05	South Southeast of Park District garage	16.8	< 2.00	< 0.12**	0.050
3	06/09/05	North end of excavation adjacent to residence; south of Mill St. and Tower Hill Access Rd. Intersection	16.104	< 2.00	< 0.124**	0.050
4	06/10/05	South Southeast of Park District garage	15.944	< 2.00	< 0.125**	0.050
5	06/10/05	Worn on START*	16.4	< 2.00	< 0.122**	0.050
6	06/10/05	North end of excavation adjacent to residence; south of Mill St. and Tower Hill Access Rd. Intersection	16.008	< 2.00	< 0.125**	0.050
7	06/13/05	Westerly adjacent to railroad crossing intersecting Mill St.	16.056	< 2.00	< 0.124**	0.050
8	06/13/05	North end of excavation adjacent to residence; south of Mill St. and Tower Hill Access Rd. Intersection	15.824	< 2.00	< 0.126**	0.050
10	06/16/05	North end of excavation between Tower Hill Access Road and Union Pacific Railroad Tracks; south of Mill St. and Tower Hill Access Rd. Intersection	1004.6	< 2.00	< 0.002	0.050
11	06/16/05	North end of excavation between Tower Hill Access Road and Union Pacific Railroad Tracks; south of Mill St. and Tower Hill Access Rd. Intersection	1006.7	< 2.00	< 0.002	0.050
12	06/17/05	North end of excavation between Tower Hill Access Road and Union Pacific Railroad Tracks; south of Mill St. and Tower Hill Access Rd. Intersection	605.55	< 2.00	< 0.003	0.050
13	06/17/05	North end of excavation between Tower Hill Access Road and Union Pacific Railroad Tracks; south of Mill St. and Tower Hill Access Rd. Intersection	625.695	< 2.00	< 0.003	0.050
16	06/20/05	Southcentral end of excavation westerly adjacent to Tower Hill Access Road; southeast of Park District garage	1120.34	< 2.00	< 0.002	0.050
17	06/20/05	Southcentral end of excavation westerly adjacent to Tower Hill Access Road; northeast of Park District garage	1087.43	< 2.00	< 0.002	0.050
18	06/21/05	Southern end of excavation westerly adjacent to Tower Hill Access Road; southeast of excavation	1004.55	< 2.00	< 0.002	0.050
19	06/21/05	Southern end of excavation westerly adjacent to Tower Hill Access Road; northeast of excavation	980	< 2.00	< 0.002	0.050
20	06/21/05	Southern end of excavation westerly adjacent to Tower Hill Access Road; east of excavation	984.98	< 2.00	< 0.002	0.050
21	06/22/05	Southern end of excavation westerly adjacent to Tower Hill Access Road; northeast of excavation	1111.86	< 2.00	< 0.002	0.050
22	06/22/05	Southern end of excavation westerly adjacent to Tower Hill Access Road; southeast of excavation	1097.28	< 2.00	< 0.002	0.050
23	06/22/05	Southern end of excavation westerly adjacent to Tower Hill Access Road; east of excavation	1105.92	< 2.00	< 0.002	0.050
24	06/23/05	Southern end of excavation westerly adjacent to Tower Hill Access Road; southeast of excavation	1131.09	< 2.00	< 0.002	0.050
25	06/23/05	Southern end of excavation westerly adjacent to Tower Hill Access Road; northeast of excavation	1171.37	< 2.00	< 0.002	0.050
28	06/23/05	Southern end of excavation westerly adjacent to Tower Hill Access Road; east of excavation	1228.64	< 2.00	< 0.002	0.050

* = Cassette and pump apparatus worn on START person for duration of work day while performing daily activities in the field.

** = Sample volume does not reflect actual volume passed through filter in the field resulting in a concentration misrepresentative of field conditions for select samples

µg = Micrograms

mg/M3 = Milligrams per cubic meter of air

Table 3
XRF Field Screening Results
Tower Hill Removal Site
Gilberts, Kane County, Illinois

Sampling Location/ Identification	Sample Collection Date	XRF Field Screen		GPS Field Data		Comment
		Pb (mk/kg)	As (mg/kg)	Date Entered	Comment	
th001-3-1	6/7/2005	Pb < LOD	119 +/-61.4	NA	None	
th002-12-2	6/7/2005	Pb < LOD	209.4 +/-6	6/3/2005	th002-12-2	
th003-24-1	6/7/2005	Pb < LOD	As < LOD	6/3/2005	th003-24-1	
th004-18-2	6/7/2005	Pb < LOD	As < LOD	6/3/2005	th004-18-2	
th005-36-1	6/7/2005	410 +/-124.3	As < LOD	6/3/2005	th005-36-1	
th006-12-2	6/7/2005	Pb < LOD	As < LOD	6/3/2005	th006-12-2	
th007-24-1	6/7/2005	Pb < LOD	As < LOD	6/3/2005	th007-24-1	
th008-36-1	6/7/2005	Pb < LOD	As < LOD	6/3/2005	th008-36-1	
th009-18-2	6/7/2005	824.4 +/-133.8	As < LOD	6/3/2005	th009-18-2	Sidewall was adjacent to a paved road.
th010-18-2	6/7/2005	795.6 +/-131.2	As < LOD	6/3/2005	th010-18-2	
th011-36-1	6/7/2005	114.6 +/-74.6	As < LOD	6/3/2005	th011-36-1	
th012-36-1	6/7/2005	Pb < LOD	As < LOD	6/3/2005	th012-36-1	
th013-36-1	6/7/2005	Pb < LOD	As < LOD	6/3/2005	th013-36-1	
th014-36-1	6/7/2005	Pb < LOD	As < LOD	6/3/2005	th014-36-1	
th015-18-2	6/7/2005	1783 +/-180	As < LOD	6/3/2005	th015-18-2	Sidewall was adjacent to a paved road.
th016-36-2	6/7/2005	2326 +/-219	As < LOD	6/3/2005	th016-18-2	
th017-18-2	6/7/2005	Pb < LOD	As < LOD	6/3/2005	th017-36-1	Sent to lab for Total Pb and As analysis
th018-48-1	6/7/2005	Pb < LOD	As < LOD	6/3/2005	th018-48-1	
th019-24-2	6/7/2005	109.0 +/-59.9	As < LOD	6/3/2005	th019-24-2	
th020-18-2	6/7/2005	1769 +/-141	As < LOD	6/3/2005	th020-18-2	
th021-36-1	6/7/2005	165.6 +/-105.3	As < LOD	6/3/2005	th021-36-1	
th022-36-1	6/7/2005	Pb < LOD	As < LOD	6/3/2005	th022-36-1	
th022-18-2	6/7/2005	681.6 +/-108.4	As < LOD	NA	NA	GPS coordinates not available
th023-36-1	6/7/2005	Pb < LOD	As < LOD	6/3/2005	th023-36-1	
th024-36-1	6/7/2005	Pb < LOD	As < LOD	6/3/2005	th024-36-1	
th025-18-2	6/7/2005	1791 +/-189	As < LOD	6/3/2005	th025-18-2	
th026-36-1	6/7/2005	Pb < LOD	As < LOD	6/3/2005	th026-36-1	
th027-12-2	6/7/2005	1328 +/-174	As < LOD	6/6/2005	th027-12-2	Sidewall was adjacent to a paved road.
th028-24-1	6/7/2005	Pb < LOD	As < LOD	6/6/2005	th028-24-1	
th029-18-2	6/7/2005	11.8K +/-5K	As < LOD	6/6/2005	th029-18-2	
th030-36-1	6/7/2005	Pb < LOD	As < LOD	6/6/2005	th030-36-1	Sent to lab for Total Pb and As analysis

NA = Not Applicable. GPS coordinates manually entered. Location determined on basis of sampling methods, i.e. 20-foot-by-20-foot transects.

LOD = Level of Detection

XRF = X-Ray Fluorescence

GPS = Global Positioning System

Pb = Lead As = Arsenic

Table 3
XRF Field Screening Results
Tower Hill Removal Site
Gilberts, Kane County, Illinois

Sampling Location/ Identification	Sample Collection Date	XRF Field Screen		GPS Field Data		Comment
		Pb (mk/kg)	As (mg/kg)	Date Entered	Comment	
th031-36-1	6/7/2005	Pb < LOD	As < LOD	6/6/2005	th031-36-1	
th032-36-1	6/7/2005	173.7+/-103.3	As < LOD	6/6/2005	th032-36-1	Sent to lab for Total Pb and As analysis
th033-24-1	6/7/2005	Pb < LOD	As < LOD	6/6/2005	th033-24-1	
th034-18-2	6/7/2005	1641+/-178	As < LOD	6/6/2005	th034-18-2	
th035-24-1	6/13/2005	Pb < LOD	As < LOD	6/9/2005	th035-24-1	
th036-24-1	6/13/2005	209.3+/-118.0	As < LOD	6/9/2005	th-036-24-1	
th037-24-1	6/13/2005	Pb < LOD	As < LOD	6/9/2005	th037-24-1	
th038-24-1	6/13/2005	Pb < LOD	As < LOD	6/9/2005	th038-24-1	
th039-24-1	6/13/2005	Pb < LOD	As < LOD	6/9/2005	th039-24-1	
th040-24-1	6/13/2005	Pb < LOD	As < LOD	6/9/2005	th040-24-1	
th041-10-2	6/13/2005	Pb < LOD	As < LOD	6/9/2005	th041-10-2	
th042-24-1	6/13/2005	Pb < LOD	As < LOD	6/9/2005	th042-24-1	
th043-24-1	6/13/2005	Pb < LOD	As < LOD	6/9/2005	th043-24-1	
th044-24-1	6/13/2005	Pb < LOD	As < LOD	6/9/2005	th044-24-1	Sent to lab for Total Pb and As analysis
th045-10-2	6/13/2005	Pb < LOD	As < LOD	6/9/2005	th045-10-2	
th046-14-2	6/13/2005	127.9+/-75.9	As < LOD	6/9/2005	th046-14-2	
th047-14-2	6/13/2005	Pb < LOD	As < LOD	6/9/2005	th047-14-2	
th048-24-1	6/13/2005	Pb < LOD	As < LOD	6/9/2005	th048-24-1	
th049-24-1	6/13/2005	Pb < LOD	As < LOD	6/9/2005	th049-24-1	
th050-12-2	6/13/2005	Pb < LOD	As < LOD	6/9/2005	th050-12-2	
th051-24-1	6/13/2005	Pb < LOD	As < LOD	6/9/2005	th051-24-1	
th052-24-1	6/13/2005	Pb < LOD	As < LOD	6/9/2005	th052-24-1	
th053-18-2	6/13/2005	337+/-100.0	As < LOD	6/9/2005	th053-18-2	
th054-18-2	6/13/2005	Pb < LOD	As < LOD	6/9/2005	th054-18-2	
th055-24-1	6/13/2005	516.9+/-110.1	As < LOD	6/9/2005	th055-24-1	
th056-24-1	6/13/2005	Pb < LOD	As < LOD	6/9/2005	th056-24-1	
th057-18-2	6/13/2005	310.4+/-86.9	As < LOD	6/9/2005	th057-18-2	
th058-24-1	6/13/2005	Pb < LOD	As < LOD	6/9/2005	th058-24-1	
th059-18-2	6/13/2005	262.5+/-65.7	As < LOD	6/9/2005	th059-18-2	
th060-12-2	6/13/2005	Pb < LOD	As < LOD	6/10/2005	th060-12-2	
th061-18-1	6/13/2005	Pb < LOD	As < LOD	6/10/2005	th061-18-1	

NA = Not Applicable. GPS coordinates manually entered. Location determined on basis of sampling methods, i.e. 20-foot-by-20-foot transects.

LOD = Level of Detection

XRF = X-Ray Fluorescence

GPS = Global Positioning System

Pb = Lead As = Arsenic

Table 3
XRF Field Screening Results
Tower Hill Removal Site
Gilberts, Kane County, Illinois

Sampling Location/ Identification	Sample Collection Date	XRF Field Screen		GPS Field Data		Comment
		Pb (mk/kg)	As (mg/kg)	Date Entered	Comment	
th062-18-1	6/13/2005	Pb < LOD	As < LOD	6/10/2005	th062-118-1	
th063-12-1	6/13/2005	Pb < LOD	As < LOD	6/10/2005	th063-12-1	Sent to lab for Total Pb and As analysis
th064-12-2	6/13/2005	Pb < LOD	As < LOD	6/10/2005	th064-12-2	
th065-12-1	6/13/2005	Pb < LOD	As < LOD	6/10/2005	th065-12-1	
th066-18-1	6/13/2005	Pb < LOD	As < LOD	6/10/2005	th066-18-1	
th067-18-1	6/13/2005	218.3+/-115.3	As < LOD	6/10/2005	th067-18-1	
th068-18-1	6/13/2005	Pb < LOD	As < LOD	6/10/2005	th068-18-1	
th069-18-1	6/13/2005	Pb < LOD	As < LOD	6/10/2005	th069-18-1	
th070-18-1	6/13/2005	Pb < LOD	As < LOD	6/10/2005	th070-12-2	
th071-18-1	6/13/2005	Pb < LOD	As < LOD	6/10/2005	th071-12-2	
th072-12-2	6/13/2005	104.0+/-68.0	As < LOD	6/10/2005	th072-12-2	
th073-12-2	6/13/2005	1825+/-191	As < LOD	6/10/2005	th0073-18-1	
th074-12-2	6/13/2005	Pb < LOD	As < LOD	6/10/2005	th074-12-2	
th075-18-1	6/13/2005	183.9+/-79.4	As < LOD	6/13/2005	th075-036-1	
th076-12-2	6/13/2005	262.9+/-104.0	As < LOD	6/13/2005	th076-36-1	
th077-10-2	6/13/2005	Pb < LOD	As < LOD	6/13/2005	th077-36-1	
th078-36-1	6/13/2005	Pb < LOD	As < LOD	6/13/2005	th078-36-1	
th079-36-1	6/13/2005	Pb < LOD	As < LOD	6/13/2005	th079-24-1	
th080-36-1	6/13/2005	Pb < LOD	As < LOD	6/13/2005	th080-18-1	Sent to lab for Total Pb and As analysis
th081-36-1	6/13/2005	Pb < LOD	As < LOD	NA	NA	GPS Coordinates not available
th082-24-1	6/13/2005	428.7+/-117.9	As < LOD	NA	NA	GPS Coordinates not available
th083-18-1	6/13/2005	169.9+/-76.3	As < LOD	NA	NA	GPS Coordinates not available
th084-18-2	6/14/2005	1704+/-179	As < LOD	6/13/2005	th084-18-2	Sidewall was adjacent to a paved road.
th085-36-1	6/14/2005	Pb < LOD	As < LOD	6/13/2005	th085-36-1	
th086-48-1	6/14/2005	Pb < LOD	As < LOD	6/13/2005	th086-48-1	
th087-18-2	6/14/2005	353.5+/-116.8	As < LOD	6/13/2005	th087-18-2	
th088-36-1	6/14/2005	Pb < LOD	As < LOD	6/13/2005	th088-36-1	
th089-18-2	6/14/2005	526.1+/-103.9	As < LOD	6/13/2005	th089-18-2	Sidewall adjacent to public works access road.
th090-18-2	6/14/2005	Pb < LOD	As < LOD	6/13/2005	th090-18-2	
th091-36-1	6/14/2005	Pb < LOD	As < LOD	6/13/2005	th091-36-1	
th092-36-1	6/14/2005	Pb < LOD	As < LOD	6/13/2005	th092-36-1	

NA = Not Applicable. GPS coordinates manually entered. Location determined on basis of sampling methods, i.e. 20-foot-by-20-foot transects.

LOD = Level of Delection

XRF = X-Ray Fluorescence

GPS = Global Positioning System

Pb = Lead As = Arsenic

Table 3
XRF Field Screening Results
Tower Hill Removal Site
Gilberts, Kane County, Illinois

Sampling Location/ Identification	Sample Collection Date	XRF Field Screen		GPS Field Data		Comment
		Pb (mk/kg)	As (mg/kg)	Date Entered	Comment	
th093-48-1	6/14/2005	Pb < LOD	As < LOD	6/13/2005	th093-48-1	
th094-18-2	6/14/2005	222.7+/-125.5	As < LOD	6/13/2005	th094-18-2	
th095-24-1	6/14/2005	5220+/-335	As < LOD	NA	None	Located atop gas main
th096-18-2	6/15/2005	4346+/-205	As < LOD	6/14/2005	th096-18-2	Sidewall was adjacent to a paved road.
th097-36-1	6/15/2005	Pb < LOD	As < LOD	6/14/2005	th097-36-1	Sent to lab for Total Pb and As analysis
th098-24-1	6/15/2005	380.4+/-118.6	As < LOD	6/14/2005	th098-224-1	
th099-36-1	6/15/2005	Pb < LOD	As < LOD	6/14/2005	th099-36-1	
th100-36-1	6/15/2005	Pb < LOD	As < LOD	6/14/2005	th100-36-1	
th101-12-2	6/15/2005	96.7+/-63.8	As < LOD	6/14/2005	th101-12-2	
th102-12-2	6/15/2005	823.0+/-118.3	As < LOD	6/14/2005	th102-12-2	Sidewall is adjacent to NextMedia property line.
th103-24-1	6/15/2005	Pb < LOD	As < LOD	6/14/2005	th103-24-1	
th104-24-1	6/15/2005	7191+/-310	611.5+/-1	6/14/2005	th104-24-1	Located atop gas main
th105-36-1	6/15/2005	Pb < LOD	As < LOD	6/14/2005	th105-36-1	
th106-24-1	6/15/2005	Pb < LOD	As < LOD	6/14/2005	th106-24-1	
th107-18-2	6/15/2005	14.7K+/-5K	As < LOD	6/14/2005	th107-18-2	
th108-12-2	6/15/2005	1476+/-183	As < LOD	6/14/2005	th108-12-2	Sidewall was adjacent to a paved road.
th109-24-1	6/15/2005	Pb < LOD	As < LOD	6/14/2005	th109-24-1	
th110-48-1	6/15/2005	Pb < LOD	As < LOD	6/14/2005	th110-24-1	
th111-48-1	6/15/2005	592.3+/-124.5	As < LOD	6/14/2005	th111-48-1	Sent to lab for Total Pb and As analysis
th112-24-2	6/15/2005	321.9+/-114.9	As < LOD	6/14/2005	th112-24-2	
th113-12-2	6/15/2005	997.0+/-142.4	As < LOD	6/14/2005	th113-12-2	Sidewall is adjacent to NextMedia property line.
th114-36-1	6/15/2005	Pb < LOD	As < LOD	6/14/2005	th114-36-1	
th115-24-1	6/15/2005	612.2+/-142.9	As < LOD	6/14/2005	th115-24-1	Located atop gas main
th116-36-1	6/15/2005	Pb < LOD	As < LOD	6/14/2005	th116-36-1	
th117-36-1	6/15/2005	Pb < LOD	As < LOD	6/14/2005	th117-36-1	
th118-18-2	6/15/2005	3051+/-246	As < LOD	6/14/2005	th118-18-2	Sidewall was adjacent to a paved road.
th119-12-2	6/15/2005	1074+/-169	As < LOD	6/14/2005	th119-12-2	Sidewall was adjacent to a paved road.
th120-24-1	6/15/2005	Pb < LOD	As < LOD	6/14/2005	th120-24-1	
th121-48-1	6/15/2005	Pb < LOD	As < LOD	6/14/2005	th121-48-1	
th122-24-1	6/15/2005	1465+/-166	As < LOD	6/14/2005	th122-24-1	Located atop gas main
th123-48-1	6/15/2005	Pb < LOD	As < LOD	6/14/2005	th123-48-1	

NA = Not Applicable. GPS coordinates manually entered. Location determined on basis of sampling methods, i.e. 20-foot-by-20-foot transects.

LOD = Level of Detection

XRF = X-Ray Fluorescence

GPS = Global Positioning System

Pb = Lead As = Arsenic

Table 3
XRF Field Screening Results
Tower Hill Removal Site
Gilberts, Kane County, Illinois

Sampling Location/ Identification	Sample Collection Date	XRF Field Screen		GPS Field Data		Comment
		Pb (mk/kg)	As (mg/kg)	Date Entered	Comment	
th124-18-2	6/15/2005	747.8+/-125.3	As < LOD	6/14/2005	th124-18-2	Sidewall is adjacent to NextMedia property line.
th125-18-1	6/16/2005	Pb < LOD	As < LOD	6/15/2005	th125-18-1	
th126-12-2	6/16/2005	219.0+/-79.0	As < LOD	6/15/2005	th126-12-2	
th127-10-2	6/16/2005	145.0+/-67.0	As < LOD	6/15/2005	th127-10-2	
th128-18-1	6/16/2005	Pb < LOD	As < LOD	6/15/2005	th128-18-1	
th129-18-1	6/16/2005	406.0+/-99.0	As < LOD	6/15/2005	th129-18-1	
th130-18-1	6/16/2005	415.0+/-87.0	As < LOD	6/15/2005	th130-18-1	Sent to lab for Total Pb and As analysis
th131-10-2	6/16/2005	Pb < LOD	As < LOD	6/15/2005	th131-10-2	
th132-18-2	6/16/2005	256.0+/-85.0	As < LOD	6/16/2005	th132-18-2	
th133-24-1	6/16/2005	Pb < LOD	As < LOD	6/16/2005	th133-24-1	
th134-24-1	6/16/2005	9880+/-700	As < LOD	6/16/2005	th134-24-1	Located atop gas main
th135-48-1	6/16/2005	Pb < LOD	As < LOD	6/16/2005	th135-48-1	
th136-36-1	6/16/2005	Pb < LOD	As < LOD	6/16/2005	th136-36-1	
th137-18-2	6/16/2005	Pb < LOD	As < LOD	6/16/2005	th137-18-2	
th138-6-2	6/16/2005	831.0+/-120	As < LOD	6/16/2005	th138-6-2	Sidewall was adjacent to a paved road.
th139-12-1	6/16/2005	Pb < LOD	As < LOD	6/16/2005	th139-12-1	
th140-36-1	6/16/2005	Pb < LOD	As < LOD	6/16/2005	th140-36-1	
th141-24-1	6/16/2005	1620+/-190	As < LOD	6/16/2005	th141-24-1	Located atop gas main
th142-36-1	6/16/2005	Pb < LOD	As < LOD	6/16/2005	th142-36-1	
th143-12-2	6/16/2005	Pb < LOD	As < LOD	6/16/2005	th143-12-2	
th144-24-1	6/17/2005	Pb < LOD	As < LOD	6/16/2005	th144-24-1	
th145-12-2	6/17/2005	1960+/-150	As < LOD	6/16/2005	th145-12-2	Sidewall was adjacent to a paved road.
th146-24-1	6/17/2005	3480+/-270	As < LOD	6/16/2005	th146-24-1	Located atop gas main
th147-48-1	6/17/2005	Pb < LOD	As < LOD	6/16/2005	th147-48-1	
th148-24-2	6/17/2005	Pb < LOD	As < LOD	6/16/2005	th148-24-2	
th149-36-1	6/17/2005	Pb < LOD	As < LOD	6/16/2005	th149-36-1	
th150-18-2	6/17/2005	Pb < LOD	As < LOD	6/16/2005	th150-18-2	
th151-36-1	6/17/2005	Pb < LOD	As < LOD	6/16/2005	th151-36-1	Sent to lab for Total Pb and As analysis
th152-18-2	6/17/2005	327.2+/-100	As < LOD	6/16/2005	th152-18-2	
th153-48-1	6/17/2005	Pb < LOD	As < LOD	6/16/2005	th153-48-1	
th154-24-2	6/17/2005	Pb < LOD	As < LOD	6/16/2005	th154-24-2	

NA = Not Applicable. GPS coordinates manually entered. Location determined on basis of sampling methods, i.e. 20-foot-by-20-foot transects.

LOD = Level of Detection

XRF = X-Ray Fluorescence

GPS = Global Positioning System

Pb = Lead As = Arsenic

Table 3
XRF Field Screening Results
Tower Hill Removal Site
Gilberts, Kane County, Illinois

Sampling Location/ Identification	Sample Collection Date	XRF Field Screen		GPS Field Data		Comment
		Pb (mk/kg)	As (mg/kg)	Date Entered	Comment	
th155-12-2	6/17/2005	1140+/-160	As < LOD	6/17/2005	th155-12-2	Sidewall was adjacent to a paved road.
th156-24-1	6/17/2005	Pb < LOD	As < LOD	6/17/2005	th156-24-1	
th157-48-1	6/17/2005	Pb < LOD	As < LOD	6/17/2005	th157-48-1	
th158-24-1	6/17/2005	1380+/-170	As < LOD	6/17/2005	th158-24-1	Located atop gas main
th159-48-1	6/17/2005	Pb < LOD	As < LOD	6/17/2005	th159-48-1	
th160-24-1	6/17/2005	2690+/-240	As < LOD	6/17/2005	th160-24-1	Located atop gas main
th161-36-1	6/17/2005	Pb < LOD	As < LOD	6/17/2005	th161-36-1	
th162-18-2	6/17/2005	Pb < LOD	As < LOD	6/17/2005	th162-18-2	
th163-18-2	6/23/2005	Pb < LOD	As < LOD	6/23/2005	th163-18-2	
th164-36-1	6/23/2005	Pb < LOD	As < LOD	6/23/2005	th164-36-1	
th165-12-2	6/23/2005	Pb < LOD	As < LOD	6/23/2005	th165-12-2	
th166-24-1	6/23/2005	Pb < LOD	As < LOD	6/23/2005	th166-24-1	
th167-18-2	6/23/2005	449.0+/-100	As < LOD	6/23/2005	th167-18-2	
th168-24-1	6/23/2005	Pb < LOD	As < LOD	6/23/2005	th168-24-1	
th169-12-2	6/23/2005	802.0+/-130	As < LOD	6/23/2005	th169-12-2	Sidewall is adjacent to NextMedia property line.
th170-12-2	6/23/2005	1320+/-180	As < LOD	6/23/2005	th170-12-2	Sidewall is adjacent to NextMedia property line.
th171-18-1	6/23/2005	430.0+/-94.0	As < LOD	6/23/2005	th171-18-1	
th172-18-1	6/23/2005	Pb < LOD	As < LOD	6/23/2005	th172-18-1	Sent to lab for Total Pb and As analysis
th173-36-1	6/23/2005	187.0+/-69.0	As < LOD	6/23/2005	th173-36-1	
th174-18-2	6/23/2005	Pb < LOD	As < LOD	6/23/2005	th174-18-2	
th175-18-2	6/23/2005	Pb < LOD	As < LOD	6/23/2005	th175-18-2	
th176-36-1	6/23/2005	185.0+/-100	As < LOD	6/23/2005	th176-36-1	
th177-36-1	6/23/2005	Pb < LOD	As < LOD	6/23/2005	th177-36-1	
th178-36-1	6/24/2005	294+/-100	As < LOD	6/23/2005	th178-36-1	
th179-18-2	6/23/2005	539.0+/-98.0	As < LOD	6/23/2005	th179-18-2	
th180-18-2	6/23/2005	6680+/-490	As < LOD	6/23/2005	th180-18-2	Sidewall is adjacent to NextMedia property line.
th181-36-1	6/23/2005	Pb < LOD	As < LOD	6/23/2005	th181-36-1	
th182-36-1	6/23/2005	Pb < LOD	As < LOD	6/23/2005	th182-36-1	
th183-36-1	6/23/2005	Pb < LOD	As < LOD	6/23/2005	th183-36-1	
th184-24-1	6/23/2005	Pb < LOD	As < LOD	6/23/2005	th184-24-1	
th185-24-1	6/23/2005	Pb < LOD	As < LOD	6/23/2005	th185-24-1	

NA = Not Applicable. GPS coordinates manually entered. Location determined on basis of sampling methods, i.e. 20-foot-by-20-foot transects.

LOD = Level of Detection

XRF = X-Ray Fluorescence

GPS = Global Positioning System

Pb = Lead As = Arsenic

Table 3
XRF Field Screening Results
Tower Hill Removal Site
Gilberts, Kane County, Illinois

Sampling Location/ Identification	Sample Collection Date	XRF Field Screen		GPS Field Data		Comment
		Pb (mk/kg)	As (mg/kg)	Date Entered	Comment	
th186-36-1	6/23/2005	Pb < LOD	As < LOD	6/23/2005	th186-36-1	Sent to lab for Total Pb and As analysis
th187-18-2	6/24/2005	2030+/-150	As < LOD	6/23/2005	th187-18-2	Sidewall is adjacent to NextMedia property line.
th188-18-2	6/24/2005	4680+/-360	As < LOD	6/23/2005	th188-18-2	Sidewall is adjacent to NextMedia property line.
th189-36-1	6/24/2005	271+/-91	As < LOD	6/23/2005	th189-36-1	
th190-24-1	6/24/2005	Pb < LOD	As < LOD	6/23/2005	th190-24-1	
th191-18-1	6/24/2005	Pb < LOD	As < LOD	6/23/2005	th191-18-1	
th192-24-1	6/24/2005	Pb < LOD	As < LOD	6/23/2005	th192-24-1	
th193-24-1	6/24/2005	Pb < LOD	As < LOD	6/23/2005	th193-24-1	
th194-36-1	6/24/2005	Pb < LOD	As < LOD	6/23/2005	th194-36-1	
th195-18-2	6/24/2005	9080+/-630	As < LOD	6/23/2005	th195-18-2	Sidewall is adjacent to NextMedia property line.
th196-18-2	6/24/2005	71.8K+/-5700	4620+/-14	6/23/2005	th196-18-2	Sidewall is adjacent to NextMedia property line.
th197-36-1	6/24/2005	166.0+/-88.0	As < LOD	6/23/2005	th197-36-1	
th198-24-1	6/24/2005	Pb < LOD	As < LOD	6/23/2005	th198-24-1	
th199-36-1	6/24/2005	Pb < LOD	As < LOD	6/23/2005	th199-36-1	
th200-24-1	6/24/2005	Pb < LOD	As < LOD	6/23/2005	th200-24-1	Sent to lab for Total Pb and As analysis
th201-12-2	6/24/2005	Pb < LOD	As < LOD	6/23/2005	th201-12-2	
th202-12-2	6/24/2005	Pb < LOD	As < LOD	6/23/2005	th202-12-2	
th203-24-1	6/24/2005	Pb < LOD	As < LOD	6/23/2005	th203-24-1	
th204-18-1	6/24/2005	Pb < LOD	As < LOD	6/23/2005	th204-18-1	
th205-12-2	6/24/2005	5830+/-390	As < LOD	6/23/2005	th205-12-2	Sidewall is adjacent to NextMedia property line.

NA = Not Applicable. GPS coordinates manually entered. Location determined on basis of sampling methods, i.e. 20-foot-by-20-foot transects.

LOD = Level of Detection

XRF = X-Ray Fluorescence

GPS = Global Positioning System

Pb = Lead As = Arsenic

Table 4
Confirmation Sampling Results
Tower Hill Removal Site
Gilberts, Kane County, Illinois

Sample Location/ Identification	Sample Collection Date	XRF Field Screen		Lab Result/ EPA Method 6010B	
		Pb	As	(mg/kg)	(mg/kg)
th017-36-1	6/7/2005	Pb < LOD	As < LOD	5.25	3.66
th030-36-1	NR	Pb < LOD	As < LOD	8.78	15.6
th032-36-1	6/7/2005	173.7+/-103.3	As < LOD	6.1	4.08
th044-24-1	6/13/2005	Pb < LOD	As < LOD	12.8	12.3
th063-12-1	6/13/2005	Pb < LOD	As < LOD	17.2	8.63
th080-36-1	6/13/2005	Pb < LOD	As < LOD	8.78	15.6
th097-36-1	6/15/2005	Pb < LOD	As < LOD	199	9.3
th111-48-1	6/15/2005	592.3+/-124.5	As < LOD	12.2	7.17
th130-18-1	6/16/2005	415.0+/-87.0	As < LOD	620	8.18
th151-36-1	6/17/2005	Pb < LOD	As < LOD	11.5	4.12
th172-18-1	6/23/2005	Pb < LOD	As < LOD	14.8	4.72
th186-36-1	6/23/2005	Pb < LOD	As < LOD	19.6	4.5
th200-24-1	6/24/2005	Pb < LOD	As < LOD	79.6	ND

LOD = Level of Detection

ND = Parameter not detected within sample

NR = Not Recorded

Pb = Lead

As = Arsenic

mg/kg = Milligrams per kilogram

ATTACHMENT C

Photos



OFFICIAL PHOTOGRAPH NO. 1
U.S. ENVIRONMENTAL PROTECTION AGENCY

Subject: North half of Tower Hill site early in removal; ERRS using a Bobcat equipped with a tiller to mix treatment agent into soil. (This method was abandoned early in the removal and replaced with *in situ* mixing of agent into soil via excavators.)

Location: Gilberts Tower Hill Site
Gilberts, Kane County, Illinois

Orientation: South **Time:** Unavailable

TDD Number: S05-0505-002 **Date:** Week of May 9, 2005

Photographer: Bryan McKinnon, START



OFFICIAL PHOTOGRAPH NO. 2
U.S. ENVIRONMENTAL PROTECTION AGENCY

Subject: ERRS using a Bobcat equipped with a tiller to mix treatment agent into soil. (This method was abandoned early in the removal and replaced with *in situ* mixing of agent into soil via excavators.)

Location: Gilberts Tower Hill Site
Gilberts, Kane County, Illinois

Orientation: North **Time:** Unavailable

TDD Number: S05-0505-002 **Date:** Week of May 9, 2005

Photographer: Bryan McKinnon, START



OFFICIAL PHOTOGRAPH NO. 3
U.S. ENVIRONMENTAL PROTECTION AGENCY


Subject: ERRS using a Bobcat equipped with a tiller to mix treatment agent into soil. (This method was abandoned early in the removal and replaced with *in situ* mixing of agent into soil via excavators.)

Location: Gilberts Tower Hill Site
Gilberts, Kane County, Illinois

Orientation: South / Southeast **Time:** Unavailable

TDD Number: S05-0505-002 **Date:** Week of May 9, 2005

Photographer: Bryan McKinnon, START



OFFICIAL PHOTOGRAPH NO. 4
U.S. ENVIRONMENTAL PROTECTION AGENCY

Subject: Southern half of Tower Hill excavation, south of Village garage.

Location: Gilberts Tower Hill Site
Gilberts, Kane County, Illinois

Orientation: North **Time:** 1128

TDD Number: S05-0505-002 **Date:** June 3, 2005

Photographer: Bryan McKinnon, START



OFFICIAL PHOTOGRAPH NO. 5
U.S. ENVIRONMENTAL PROTECTION AGENCY

Subject: Southern half of Tower Hill excavation, south of Village garage.

Location: Gilberts Tower Hill Site
Gilberts, Kane County, Illinois

Orientation: Northwest **Time:** 1127

TDD Number: S05-0505-002 **Date:** June 3, 2005

Photographer: Bryan McKinnon, START



OFFICIAL PHOTOGRAPH NO. 6
U.S. ENVIRONMENTAL PROTECTION AGENCY

Subject: Southern half of Tower Hill excavation, south of Village garage.

Location: Gilberts Tower Hill Site
Gilberts, Kane County, Illinois

Orientation: Southwest

Time: 1129

TDD Number: S05-0505-002

Date: June 3, 2005

Photographer: Bryan McKinnon, START



OFFICIAL PHOTOGRAPH NO. 7
U.S. ENVIRONMENTAL PROTECTION AGENCY

Subject: Southern half of Tower Hill excavation, south of Village garage.

Location: Gilberts Tower Hill Site
Gilberts, Kane County, Illinois

Orientation: South **Time:** 1130

TDD Number: S05-0505-002 **Date:** June 3, 2005

Photographer: Bryan McKinnon, START



OFFICIAL PHOTOGRAPH NO. 8
U.S. ENVIRONMENTAL PROTECTION AGENCY

Subject: Excavation south of Village salt shed and east of Tower Hill access road.
Excavation wall adjacent to NextMedia, Inc. property.

Location: Gilberts Tower Hill Site
Gilberts, Kane County, Illinois

Orientation: Northwest

Time: 1131

TDD Number: S05-0505-002

Date: June 3, 2005

Photographer: Bryan McKinnon, START



OFFICIAL PHOTOGRAPH NO. 9
U.S. ENVIRONMENTAL PROTECTION AGENCY

Subject: Excavation wall adjacent to NextMedia Inc. property. Fence surrounds open excavation on NextMedia Inc. property.

Location: Gilberts Tower Hill Site
Gilberts, Kane County, Illinois

Orientation: Southwest **Time:** 1133

TDD Number: S05-0505-002 **Date:** June 3, 2005

Photographer: Bryan McKinnon, START



OFFICIAL PHOTOGRAPH NO. 10
U.S. ENVIRONMENTAL PROTECTION AGENCY

Subject: Excavation south of Village salt shed and east of Tower Hill access road.

Location: Gilberts Tower Hill Site
Gilberts, Kane County, Illinois

Orientation: East **Time:** 1134

TDD Number: S05-0505-002 **Date:** June 3, 2005

Photographer: Dave Andrews, U.S. EPA



OFFICIAL PHOTOGRAPH NO. 11
U.S. ENVIRONMENTAL PROTECTION AGENCY

Subject: Northern half of Tower Hill excavation. Soil and debris containing elevated lead levels was treated *in situ* and treated material was left in place until the time of transportation and disposal. Stockpiled material from the southern half of the excavation is stockpiled atop one side of already-treated soil to be included in the disposal.

Location: Gilberts Tower Hill Site
Gilberts, Kane County, Illinois

Orientation: South

Time: 1139

TDD Number: S05-0505-002

Date: June 3, 2005

Photographer: Bryan McKinnon, START



OFFICIAL PHOTOGRAPH NO. 12
U.S. ENVIRONMENTAL PROTECTION AGENCY

Subject: ERRS backfilling excavation extending south of Village salt shed.
Backfill in the Village garage area consisted of sand topped with CA-6
crushed stone.

Location: Tower Hill Removal Action Site
Gilberts, Kane County, Illinois

Orientation: North **Time:** 1351

TDD Number: S05-0505-002 **Date:** June 9, 2005

Photographer: Bryan McKinnon, START



OFFICIAL PHOTOGRAPH NO. 13
U.S. ENVIRONMENTAL PROTECTION AGENCY

Subject: North half of Tower Hill excavation, including area adjacent to residence. Treated material stockpiled behind excavator.

Location: Tower Hill Removal Action Site
Gilberts, Kane County, Illinois

Orientation: South **Time:** 1640

TDD Number: S05-0505-002 **Date:** June 13, 2005

Photographer: Bryan McKinnon, START



OFFICIAL PHOTOGRAPH NO. 14
U.S. ENVIRONMENTAL PROTECTION AGENCY

Subject: Northernmost half of Tower Hill excavation. Central excavation is around a gas main that runs north-south.

Location: Gilberts Tower Hill Site
Gilberts, Kane County, Illinois

Orientation: Northwest **Time:** 1641

TDD Number: S05-0505-002 **Date:** June 13, 2005

Photographer: Bryan McKinnon, START



OFFICIAL PHOTOGRAPH NO. 15
U.S. ENVIRONMENTAL PROTECTION AGENCY

Subject: ERRS loading trucks for transportation and disposal of treated soil and debris.

Location: Gilberts Tower Hill Site
Gilberts, Kane County, Illinois

Orientation: South southwest **Time:** 1143

TDD Number: S05-0505-002 **Date:** June 14, 2005

Photographer: Bryan McKinnon, START



OFFICIAL PHOTOGRAPH NO. 16
U.S. ENVIRONMENTAL PROTECTION AGENCY

Subject: Loading of trucks for transportation and disposal of treated soil and debris. Dust generated from Tower Hill access road contained lead particulate beneath monitoring limits.

Location: Gilberts Tower Hill Site
Gilberts, Kane County, Illinois

Orientation: South southwest

Time: 1144

TDD Number: S05-0505-002

Date: June 14, 2005

Photographer: Bryan McKinnon, START



OFFICIAL PHOTOGRAPH NO. 17
U.S. ENVIRONMENTAL PROTECTION AGENCY


Subject: Dusted generated from Tower Hill access road. Dust contained lead particulate beneath monitoring limits.

Location: Gilberts Tower Hill Site
Gilberts, Kane County, Illinois

Orientation: South southwest **Time:** 1145

TDD Number : S05-0505-002 **Date:** June 14, 2005

Photographer: Bryan McKinnon, START



OFFICIAL PHOTOGRAPH NO. 18
U.S. ENVIRONMENTAL PROTECTION AGENCY

Subject: Village of Gilberts using engineering controls to mitigate dust.

Location: Gilberts Tower Hill Site
Gilberts, Kane County, Illinois

Orientation: Southwest

Time: 1344

TDD Number: S05-0505-002

Date: June 14, 2005

Photographer: Bryan McKinnon, START



OFFICIAL PHOTOGRAPH NO. 19
U.S. ENVIRONMENTAL PROTECTION AGENCY


Subject: Northern half of Tower Hill excavation. ERRS loading trucks for transportation and disposal of treated soil and debris in background.

Location: Gilberts Tower Hill Site
Gilberts, Kane County, Illinois

Orientation: North **Time:** 1030

TDD Number: S05-0505-002 **Date:** June 15, 2005

Photographer: Bryan McKinnon, START



OFFICIAL PHOTOGRAPH NO. 20
U.S. ENVIRONMENTAL PROTECTION AGENCY

Subject: ERRS employing engineering controls to mitigate dust.

Location: Gilberts Tower Hill Site
Gilberts, Kane County, Illinois

Orientation: South

Time: 1620

TDD Number: S05-0505-002

Date: June 18, 2005

Photographer: Bryan McKinnon, START



OFFICIAL PHOTOGRAPH NO. 21
U.S. ENVIRONMENTAL PROTECTION AGENCY

Subject: Backfilled area north of Village salt shed.

Location: Gilberts Tower Hill Site
Gilberts, Kane County, Illinois

Orientation: South **Time:** 1621

TDD Number: S05-0505-002 **Date:** June 18, 2005

Photographer: Bryan McKinnon, START



OFFICIAL PHOTOGRAPH NO. 22
U.S. ENVIRONMENTAL PROTECTION AGENCY

Subject: Excavation north of Village salt shed from atop final stockpile of treated soil and debris, ready for transportation and disposal. Sand and topsoil backfill is occurring simultaneously in background.

Location: Gilberts Tower Hill Site
Gilberts, Kane County, Illinois

Orientation: North

Time: 1621

TDD Number: S05-0505-002

Date: June 16, 2005

Photographer: Bryan McKinnon, START

ATTACHMENT D

Disposal



Environmental

WASTE SERVICES, INC

FACSIMILE TRANSMITTAL SHEET

TO:

BRYAN McKINNON

FROM:

JOE LICAREL

COMPANY:

DATE:

FAX NUMBER:

TOTAL NO. OF PAGES INCLUDING COVER:

PHONE NUMBER:

SENDER'S REFERENCE NUMBER:

RE:

GILBERTS

YOUR REFERENCE NUMBER:

☐ URGENT☐ FOR REVIEW☐ PLEASE COMMENT☐ PLEASE REPLY☐ PLEASE RECYCLE

NOTES/COMMENTS:



July 12, 2005

To Whom It May Concern:

RE: Profile/ Total Tonnage Clarification.

On behalf of Onyx Orchard Hills Landfill, I would like to thank you for choosing our facility for your disposal needs. During the course of your project located in Gilberts, IL there was three (3) profiles issued by Onyx Orchard Hills Landfill, Inc, which serve as part of the approval process for receiving your waste. The following is a list of profiles issued along with the waste description, and site the material was received from.

OHL00333	Non-Hazardous Treated Soil	Gilberts Kedzie Site
OHL00343	Non-Hazardous Treated Soil & Debris	Gilberts Kedzie Site
OHL00353	Non-Hazardous Treated Soil	Gilberts Tower Site

At the end of your project an audit was conducted, while issuing certificates of destruction. It was found that while we received 1,220 loads of material there were 7 errors in our logging efforts. Unfortunately the computer system utilized at the landfill does not allow for changes after the billing cycle has been completed. This letter will serve as clarification for the errors along with the correct total tonnage for each waste stream received.

Date	Manifest #	Ticket #	Original Profile	Correct Profile	Tons
May 25	11417307	331182	OHL00333	OHL00343	19.15
June 17	11417665	337220	OHL00353	OHL00343	21.45
June 17	11417514	336890	OHL00353	OHL00343	20.71
June 20	11417561	337615	OHL00353	OHL00343	20.41
June 20	11417552	337590	OHL00353	OHL00343	19.07
June 20	11417551	337575	OHL00353	OHL00343	19.25
June 20	11417562	337539	OHL00353	OHL00343	20.13


The total tons received for each profile number have been adjusted on the following page:



<u>Profile Number</u>	<u>Previous Tonnage</u>	<u>Current Tonnage</u>
OHL00333	8,075.71	8,056.56
OHL00343	9,166.10	9,306.27 - 21.45
OHL00353	7,354.25	7,233.23 + 21.45

I hope this letter will clarify any issues or concerns you may have with the disposal of the contaminated soil. If, however, you have any further questions or concerns feel free to call me anytime.

Sincerely,


Douglas W. McDaniel
Special Waste Sales Manager
Onyx Orchard Hills Landfill
8290 HWY 251
Davis Junction, IL 61020
(815) 874-9000 - Office
(815) 874-5841 - Fax
(815) 378-1910 - Mobile
dwmcdaniel@onyxwa.com

Jul 14 05 04:55p

EWS, INC.

6303653112

p. 4

Complete Activity Report
From: Jun 09, 2005 To: Jun 09, 2005
Specified Contract: OHL00353

Tower Hill

Facility: All Facilities

DETAILED REPORT

Report Contents: Inbound And Outbound

Date (Y)	Ticket Number	Vehicle	Disposal Qty.	Disposal Vol.	Reference	Origin Description	Contract
9 Jun 2005	334800	LBT72	21.24	15.00	10338953	KANE CTY/L	OHL00353
9 Jun 2005	334804	LBT21	21.65	15.00	10338954	KANE CTY/L	
9 Jun 2005	334812	LBT22	22.33	15.00	10338955	KANE CTY/L	
9 Jun 2005	334819	LBT12	18.79	15.00	10338956	KANE CTY/L	
Contract Total (4)			84.01	60.00			
Report Total (4)			84.01	60.00			

*complete**402 - red 3' e
4 - TH*

Complete Activity Report
From: Jun 13, 2005 To: Jun 13, 2005
Specified Contract: OHL00353

Facility: All Facilities

DETAILED REPORT

Report Contents: Inbound And Outbound

Date In	Ticket Number	Vehicle	Disposal Qty	Disposal Vol.	Reference	Origin Description	Contract
13 Jun 2005	335363	LBT4742	17.30	15.00	10338957	KANE CTY/IL	OHL00353
13 Jun 2005	335379	LBT75	21.62	15.00	10338961	KANE CTY/IL	
13 Jun 2005	335381	LBT72	22.14	15.00	10338962	KANE CTY/IL	
13 Jun 2005	335385	LBT135	20.61	15.00	10338964	KANE CTY/IL	
13 Jun 2005	335387	LBT4	19.55	15.00	10338965	KANE CTY/IL	
13 Jun 2005	335391	LBT77	21.39	15.00	10338966	KANE CTY/IL	
13 Jun 2005	335401	LBT20	18.67	15.00	10338943	KANE CTY/IL	
13 Jun 2005	335412	LBT297	21.52	15.00	10338959	KANE CTY/IL	
13 Jun 2005	335404	LBT891	17.97	15.00	10338958	KANE CTY/IL	
13 Jun 2005	335416	LBT292	19.48	15.00	10338960	KANE CTY/IL	
13 Jun 2005	335454	LBT4742	21.36	15.00	10338957	KANE CTY/IL	
13 Jun 2005	335478	LBT75	22.35	15.00	10338961	KANE CTY/IL	
13 Jun 2005	335478	LBT72	21.84	15.00	10338962	KANE CTY/IL	
13 Jun 2005	335478	LBT135	17.94	15.00	10338964	KANE CTY/IL	
13 Jun 2005	335481	LBT4	17.35	15.00	10338965	KANE CTY/IL	
13 Jun 2005	335487	LBT891	21.80	15.00	10338958	KANE CTY/IL	
13 Jun 2005	335488	LBT77	22.80	15.00	10338966	KANE CTY/IL	
13 Jun 2005	335485	LBT297	18.49	15.00	10338959	KANE CTY/IL	
13 Jun 2005	335488	LBT292	17.67	15.00	10338960	KANE CTY/IL	
13 Jun 2005	335489	LBT20	19.90	15.00	10338943	KANE CTY/IL	
13 Jun 2005	335447	LBT4742	19.43	15.00	10338957	KANE CTY/IL	
13 Jun 2005	335568	LBT135	15.35	15.00	10338964	KANE CTY/IL	
13 Jun 2005	335588	LBT75	18.49	15.00	10338961	KANE CTY/IL	
13 Jun 2005	335584	LBT72	22.05	15.00	10338962	KANE CTY/IL	
13 Jun 2005	335565	LBT691	18.07	15.00	10338958	KANE CTY/IL	
13 Jun 2005	335572	LBT4	18.49	15.00	10338965	KANE CTY/IL	
13 Jun 2005	335572	LBT77	20.18	15.00	10338966	KANE CTY/IL	
13 Jun 2005	335576	LBT297	20.61	15.00	10338959	KANE CTY/IL	
13 Jun 2005	335578	LBT292	18.22	15.00	10338960	KANE CTY/IL	
13 Jun 2005	335584	LBT20	18.46	15.00	10338943	KANE CTY/IL	
13 Jun 2005	335592	LBT2	20.76	15.00	10338968	KANE CTY/IL	
13 Jun 2005	335597	LBT84	18.12	15.00	10338967	KANE CTY/IL	
13 Jun 2005	335623	LBT4742	19.96	15.00	10338957	KANE CTY/IL	
13 Jun 2005	335625	LBT03	19.07	15.00	10338953	KANE CTY/IL	

Contract Total (34)

669.19

510.00

Report Total (34)

669.19

510.00

10338958
for G/100

4
+34
38

Complete

Complete Activity Report
From: Jun 14, 2005 To: Jun 14, 2005
Specified Contract: OHL00353

Facility: All Facilities

DETAILED REPORT

Report Contents: Inbound And Outbound

Date In	Ticket Number	Vehicle	Disposal Qty.	Disposal Vol.	Reference	Origin Description	Contract
14 Jun 2005	335884	LBT21	20.23	15.00	10338972	KANE CTY/IL	OHL00353
14 Jun 2005	335878	LBT135	19.63	15.00	10338949	KANE CTY/IL	
14 Jun 2005	335877	LBT12	19.95	15.00	10338971	KANE CTY/IL	
14 Jun 2005	335884	LBT001	21.33	15.00	10338958	KANE CTY/IL	
14 Jun 2005	335888	LBT297	18.86	15.00	10338970	KANE CTY/IL	
14 Jun 2005	335881	LBT292	16.90	15.00		KANE CTY/IL	
14 Jun 2005	335882	LBT4	16.12	15.00	10338950	KANE CTY/IL	
14 Jun 2005	335712	LBT72	22.23	15.00	10338952	KANE CTY/IL	
14 Jun 2005	335722	LBT77	18.56	15.00	10338951	KANE CTY/IL	
14 Jun 2005	335745	LBT03	17.09	15.00	10338973	KANE CTY/IL	
14 Jun 2005	335747	LBT2	16.07	15.00	10338974	KANE CTY/IL	
14 Jun 2005	335749	LBT64	17.05	15.00	10338975	KANE CTY/IL	
14 Jun 2005	335750	LBT4742	17.00	15.00	10338978	KANE CTY/IL	
14 Jun 2005	335753	LBT135	21.76	15.00	10338949	KANE CTY/IL	
14 Jun 2005	335757	LBT292	17.95	15.00	10338977	KANE CTY/IL	
14 Jun 2005	335760	LBT297	22.98	15.00	10338970	KANE CTY/IL	
14 Jun 2005	335781	LBT001	22.79	15.00	10338979	KANE CTY/IL	
14 Jun 2005	335782	LBT20	20.46	15.00	10338978	KANE CTY/IL	
14 Jun 2005	335768	LBT4	20.58	15.00	10338950	KANE CTY/IL	
14 Jun 2005	335788	LBT72	24.19	15.00	10338952	KANE CTY/IL	
14 Jun 2005	335807	LBT77	24.33	15.00	10338951	KANE CTY/IL	
14 Jun 2005	335827	LBT2	21.03	15.00	10338974	KANE CTY/IL	
14 Jun 2005	335831	LBT03	21.85	15.00	10338973	KANE CTY/IL	
14 Jun 2005	335839	LBT64	16.98	15.00	10338975	KANE CTY/IL	
14 Jun 2005	335840	LBT135	19.10	15.00	10338949	KANE CTY/IL	
14 Jun 2005	335849	LBT4742	20.33	15.00	10338978	KANE CTY/IL	
14 Jun 2005	335854	LBT297	18.69	15.00	10338970	KANE CTY/IL	
14 Jun 2005	335856	LBT691	21.44	15.00	10338979	KANE CTY/IL	
14 Jun 2005	335857	LBT292	17.71	15.00	10338977	KANE CTY/IL	
14 Jun 2005	335868	LBT20	18.94	15.00	10338978	KANE CTY/IL	
14 Jun 2005	335872	LBT4	22.18	15.00	10338950	KANE CTY/IL	
14 Jun 2005	335883	LBT77	26.74	15.00	10338951	KANE CTY/IL	
14 Jun 2005	335910	LBT2	23.48	15.00	10338974	KANE CTY/IL	
14 Jun 2005	335916	LBT03	24.33	15.00	10338973	KANE CTY/IL	
14 Jun 2005	335919	LBT64	21.02	15.00	10338975	KANE CTY/IL	
14 Jun 2005	335826	LBT4742	20.19	15.00	10338978	KANE CTY/IL	
14 Jun 2005	335932	LBT297	19.12	15.00	10338970	KANE CTY/IL	
14 Jun 2005	335933	LBT691	21.44	15.00	10338979	KANE CTY/IL	
14 Jun 2005	335934	LBT292	19.31	15.00	10338977	KANE CTY/IL	
14 Jun 2005	335938	LBT20	22.56	15.00	10338978	KANE CTY/IL	
14 Jun 2005	335933	LBT135	20.80	15.00	10338949	KANE CTY/IL	
14 Jun 2005	335959	LBT4	20.77	15.00	10338950	KANE CTY/IL	
14 Jun 2005	335982	LBT2	20.25	15.00	10338974	KANE CTY/IL	
14 Jun 2005	335988	LBT77	19.87	15.00	10338951	KANE CTY/IL	
14 Jun 2005	335995	LBT03	18.76	15.00	10338973	KANE CTY/IL	
14 Jun 2005	336005	LBT64	15.53	15.00	10338975	KANE CTY/IL	
14 Jun 2005	336012	LBT4742	18.19	15.00	10338978	KANE CTY/IL	
14 Jun 2005	336023	LBT691	21.68	15.00	10338979	KANE CTY/IL	
14 Jun 2005	336028	LBT297	18.54	15.00	10338970	KANE CTY/IL	

Contract Total (49)

991.00

735.00

Complete

Report Total (48)

991.00

735.00

OUG Jun-15-05

Orchard Hills Landfill, Davis Junction TS

Page 1

Col
5684
✓

Handwritten signature

Complete Activity Report
From: Jun 15, 2005 To: Jun 15, 2005
Specified Contract: OHL00353

Facility: All Facilities

DETAILED REPORT

Report Contents: Inbound And Outbound

Date In	Ticket Number	Vehicle	Disposal Qty.	Disposal Vol.	Reference	Origin	Description	Contract
15 Jun 2005	336038	LBT1	23.76	15.00	11417622	KANE CTY/IL		OHL00353
15 Jun 2005	336039	LBT22	22.12	15.00	11417625	KANE CTY/IL		
15 Jun 2005	336040	LBT21	25.15	15.00	11417627	KANE CTY/IL		
15 Jun 2005	336045	LBT03	20.97	15.00	11417629	KANE CTY/IL		
15 Jun 2005	336053	LBT135	20.28	15.00	11417630	KANE CTY/IL		
15 Jun 2005	336056	LBT4	21.11	15.00	1147831	KANE CTY/IL		
15 Jun 2005	336080	LBT12	20.90	15.00	11417623	KANE CTY/IL		
15 Jun 2005	336076	LBT77	22.58	15.00	11417628	KANE CTY/IL		
15 Jun 2005	336082	LBT72	21.80	15.00	11417628	KANE CTY/IL		
15 Jun 2005	336116	LBT20	19.88	15.00	10338882	KANE CTY/IL		
15 Jun 2005	336131	LBT64	18.47	15.00	11417621	KANE CTY/IL		
15 Jun 2005	336137	LBT891	21.88	15.00	11417620	KANE CTY/IL		
15 Jun 2005	336147	LBT3080	21.06	15.00	11417619	KANE CTY/IL		
15 Jun 2005	336153	WH130	17.80	15.00	11417619	KANE CTY/IL		
15 Jun 2005	336142	LBT03	19.80	15.00	11417629	KANE CTY/IL		
15 Jun 2005	336144	LBT4	18.30	15.00	11417631	KANE CTY/IL		
15 Jun 2005	336145	LBT13	21.11	15.00	11417617	KANE CTY/IL		
15 Jun 2005	336148	LBT135	18.87	15.00	11417630	KANE CTY/IL		
15 Jun 2005	336158	LBT4742	18.48	15.00	11417615	KANE CTY/IL		
15 Jun 2005	336158	LBT297	18.29	15.00	11417618	KANE CTY/IL		
15 Jun 2005	336160	LBT2	20.23	15.00	11417624	KANE CTY/IL		
15 Jun 2005	336179	LBT72	21.75	15.00	11417628	KANE CTY/IL		
15 Jun 2005	336179	LBT77	20.15	15.00	11417629	KANE CTY/IL		
15 Jun 2005	336205	LBT292	18.54	15.00	10338881	KANE CTY/IL		
15 Jun 2005	336211	LBT20	17.85	15.00	10338882	KANE CTY/IL		
15 Jun 2005	336248	LBT64	18.02	15.00	11417621	KANE CTY/IL		
15 Jun 2005	336242	WH130	18.09	15.00	11417616	KANE CTY/IL		
15 Jun 2005	336248	LBT03	18.84	15.00	11417629	KANE CTY/IL		
15 Jun 2005	336256	LBT891	21.03	15.00	11417620	KANE CTY/IL		
15 Jun 2005	336252	LBT13	20.52	15.00	11417617	KANE CTY/IL		
15 Jun 2005	336250	LBT3080	20.23	15.00	11417619	KANE CTY/IL		
15 Jun 2005	336262	LBT4	17.81	15.00	11417631	KANE CTY/IL		
15 Jun 2005	336268	LBT2	18.71	15.00	11417624	KANE CTY/IL		
15 Jun 2005	336277	LBT135	18.01	15.00	11417630	KANE CTY/IL		
15 Jun 2005	336283	LBT72	22.19	15.00	11417628	KANE CTY/IL		
15 Jun 2005	336284	LBT77	20.06	15.00	11417628	KANE CTY/IL		
15 Jun 2005	336294	LBT297	19.67	15.00	11417618	KANE CTY/IL		
15 Jun 2005	336295	LBT4742	18.35	15.00	11417615	KANE CTY/IL		
15 Jun 2005	336330	LBT20	17.42	15.00	10338882	KANE CTY/IL		
15 Jun 2005	336336	WH130	17.86	15.00	11417618	KANE CTY/IL		
15 Jun 2005	336337	LBT64	16.73	15.00	11417621	KANE CTY/IL		
15 Jun 2005	336338	LBT03	18.84	15.00	11417629	KANE CTY/IL		
15 Jun 2005	336340	LBT891	20.74	15.00	11417620	KANE CTY/IL		
15 Jun 2005	336348	LBT3080	20.14	15.00	11417619	KANE CTY/IL		
15 Jun 2005	336355	LBT4	18.82	15.00	11417631	KANE CTY/IL		
15 Jun 2005	336358	LBT2	19.28	15.00	11417624	KANE CTY/IL		
15 Jun 2005	336360	LBT135	20.14	15.00	11417630	KANE CTY/IL		
15 Jun 2005	336370	LBT13	22.50	15.00	11417617	KANE CTY/IL		
15 Jun 2005	336374	LBT77	21.23	15.00	11417628	KANE CTY/IL		
15 Jun 2005	336381	LBT72	22.14	15.00	11417628	KANE CTY/IL		
15 Jun 2005	336417	LBT4742	19.73	15.00	11417615	KANE CTY/IL		
15 Jun 2005	336420	LBT297	18.52	15.00	11417618	KANE CTY/IL		
15 Jun 2005	336428	WH130	18.27	15.00	11417619	KANE CTY/IL		
15 Jun 2005	336433	LBT03	19.88	15.00	11417614	KANE CTY/IL		
15 Jun 2005	336437	LBT891	19.58	15.00	11417620	KANE CTY/IL		

Contract Total (\$5)

1,081.89

825.00

Orchard Hills Landfill, Davis Junction T5

Page 1

Complete Activity Report
From: Jun 16, 2005 To: Jun 16, 2005
Specified Contract: OHL00353

Facility: All Facilities

DETAILED REPORT

Report Contents: Inbound And Outbound

Date In	Ticket Number	Vehicle	Disposal Qty.	Disposal Vol.	Reference	Origin Description	Contract
16 Jun 2005	336453+	LBT1	18.99	15.00	11417811	KANE CTY/IL	OHL00353
16 Jun 2005	336453+	LBT77	19.64	15.00	11417600	KANE CTY/IL	
16 Jun 2005	336470+	LBT84	18.12	15.00	11417813	KANE CTY/IL	
16 Jun 2005	336474+	LBT3060	21.43	15.00	11417597	KANE CTY/IL	
16 Jun 2005	336485+	LBT4	18.11	15.00	11417599	KANE CTY/IL	
16 Jun 2005	336488+	LBT135	16.33	15.00	11417598	KANE CTY/IL	
16 Jun 2005	336488+	LBT72	21.36	15.00	11417601	KANE CTY/IL	
16 Jun 2005	336523+	WHI30	19.47	15.00	11417602	KANE CTY/IL	
16 Jun 2005	336527+	LBT691	19.32	15.00	11417605	KANE CTY/IL	
16 Jun 2005	336530+	LBT35	15.95	15.00	11417603	KANE CTY/IL	
16 Jun 2005	336538+	LBT17	18.82	15.00	11417608	KANE CTY/IL	
16 Jun 2005	336542+	LBT297	18.87	15.00	11417604	KANE CTY/IL	
16 Jun 2005	336545+	LBT84	18.52	15.00	11417613	KANE CTY/IL	
16 Jun 2005	336548+	LBT3060	18.48	15.00	11417597	KANE CTY/IL	
16 Jun 2005	336555+	LBT77	18.70	15.00	11417800	KANE CTY/IL	
16 Jun 2005	336582+	LBT135	18.02	15.00	11417598	KANE CTY/IL	
16 Jun 2005	336570+	LBT4	18.39	15.00	11417599	KANE CTY/IL	
16 Jun 2005	336578+	LBT2	16.50	15.00	11417612	KANE CTY/IL	
16 Jun 2005	336580+	LBT13	20.33	15.00	11417607	KANE CTY/IL	
16 Jun 2005	336596+	LBT72	22.48	15.00	11417601	KANE CTY/IL	
16 Jun 2005	336621+	WHI57	18.70	15.00	11417602	KANE CTY/IL	
16 Jun 2005	336629+	LBT691	19.64	15.00	11417605	KANE CTY/IL	
16 Jun 2005	336635+	LBT35	17.87	15.00	11417603	KANE CTY/IL	
16 Jun 2005	336640+	LBT17	16.35	15.00	11417608	KANE CTY/IL	
16 Jun 2005	336653+	LBT3060	20.20	15.00	11417597	KANE CTY/IL	
16 Jun 2005	336657+	LBT297	17.30	15.00	11417604	KANE CTY/IL	
16 Jun 2005	336659+	LBT84	14.53	15.00	11417813	KANE CTY/IL	
16 Jun 2005	336670+	LBT77	20.87	15.00	11417600	KANE CTY/IL	
16 Jun 2005	336680+	LBT2	17.28	15.00	11417612	KANE CTY/IL	
16 Jun 2005	336685+	LBT4	17.79	15.00	11417599	KANE CTY/IL	
16 Jun 2005	336699+	LBT75	17.80	15.00	11417608	KANE CTY/IL	
16 Jun 2005	336704+	LBT13	21.36	15.00	11417607	KANE CTY/IL	
16 Jun 2005	336711+	LBT2	19.68	15.00	11417612	KANE CTY/IL	
16 Jun 2005	336715+	WHI57	19.33	15.00	11417602	KANE CTY/IL	
16 Jun 2005	336724+	LBT691	19.51	15.00	11417605	KANE CTY/IL	
16 Jun 2005	336730+	LBT35	16.95	15.00	11417603	KANE CTY/IL	
16 Jun 2005	336736+	LBT17	16.82	15.00	11417608	KANE CTY/IL	
16 Jun 2005	336742+	LBT3060	19.58	15.00	11417597	KANE CTY/IL	
16 Jun 2005	336755+	LBT64	18.78	15.00	11417813	KANE CTY/IL	
16 Jun 2005	336758+	LBT297	18.12	15.00	11417604	KANE CTY/IL	
16 Jun 2005	336759+	LBT77	19.75	15.00	11417600	KANE CTY/IL	
16 Jun 2005	336768+	LBT2	18.03	15.00	11417612	KANE CTY/IL	
16 Jun 2005	336778+	LBT4	17.88	15.00	11417599	KANE CTY/IL	
16 Jun 2005	336780+	LBT75	19.00	15.00	11417608	KANE CTY/IL	
16 Jun 2005	336788+	LBT13	19.09	15.00	11417607	KANE CTY/IL	
16 Jun 2005	336805+	WHI57	19.35	15.00	11417602	KANE CTY/IL	
16 Jun 2005	336827+	LBT691	19.58	15.00	11417605	KANE CTY/IL	
16 Jun 2005	336843+	LBT3060	19.48	15.00	11417810	KANE CTY/IL	
16 Jun 2005	336867+	LBT135	15.77	15.00	11417598	KANE CTY/IL	
16 Jun 2005	336885+	LBT84	15.29	15.00	11417608	KANE CTY/IL	
16 Jun 2005	336884+	LBT297	18.48	15.00	11417604	KANE CTY/IL	

Contract Total (\$1)

933.63

785.00

Report Total (\$1)

933.63

785.00

DOUG Jun-20-05

Orchard Hills Landfill, Davis Junction TS

Page 1

Complete
7/12

142
+ 51
193

Complete Activity Report
From: Jun 17, 2005 To: Jun 17, 2005
Specified Contract: OHL00353

Facility: All Facilities

DETAILED REPORT

Report Contents: Inbound And Outbound

Date In	Ticket Number	Vehicle	Disposal Qty.	Disposal Vol.	Reference	Origin Description	Contract
17 Jun 2005	336871	LBT77	18.74	15.00	11417871	KANE CTY/IL	OHL00353
17 Jun 2005	336872	LBT21	18.33	15.00	11417658	KANE CTY/IL	
17 Jun 2005	336876	LBT03	17.50	15.00	11417669	KANE CTY/IL	
17 Jun 2005	336879	LBT4742	17.38	15.00		KANE CTY/IL	
17 Jun 2005	336889	LBT292	16.07	15.00	11417675	KANE CTY/IL	
17 Jun 2005	336890	LBT35	20.71	15.00	11417514	KANE CTY/IL	
17 Jun 2005	336892	LBT75	19.37	15.00	11417688	KANE CTY/IL	
17 Jun 2005	336900	LBT72	21.44	15.00	11417672	KANE CTY/IL	
17 Jun 2005	336924	LBT20	17.32	15.00	11417654	KANE CTY/IL	
17 Jun 2005	336932	LBT2	18.82	15.00	11417670	KANE CTY/IL	
17 Jun 2005	336947	LBT135	18.85	15.00	11417681	KANE CTY/IL	
17 Jun 2005	336953	LBT69	19.58	15.00	11417657	KANE CTY/IL	
17 Jun 2005	336954	LBT74	20.08	15.00	11417682	KANE CTY/IL	
17 Jun 2005	336955	LBT03	21.37	15.00	11417669	KANE CTY/IL	
17 Jun 2005	336964	LBT77	24.53	15.00	11417671	KANE CTY/IL	
17 Jun 2005	336971	LBT75	19.98	15.00	11417668	KANE CTY/IL	
17 Jun 2005	336980	LBT72	22.97	15.00	11417672	KANE CTY/IL	
17 Jun 2005	337025	LBT135	17.80	15.00	11417661	KANE CTY/IL	
17 Jun 2005	337031	LBT74	18.00	15.00	11417682	KANE CTY/IL	
17 Jun 2005	337034	LBT69	20.03	15.00	11417657	KANE CTY/IL	
17 Jun 2005	337045	LBT03	19.87	15.00	11417689	KANE CTY/IL	
17 Jun 2005	337048	LBT77	23.27	15.00	11417671	KANE CTY/IL	
17 Jun 2005	337062	LBT21	20.14	15.00	11417656	KANE CTY/IL	
17 Jun 2005	337090	LBT75	20.87	15.00	11417668	KANE CTY/IL	
17 Jun 2005	337098	LBT72	24.81	15.00	11417672	KANE CTY/IL	
17 Jun 2005	337117	LBT135	20.84	15.00	11417681	KANE CTY/IL	
17 Jun 2005	337120	LBT64	18.28	15.00	11417659	KANE CTY/IL	
17 Jun 2005	337122	LBT74	18.23	15.00	11417662	KANE CTY/IL	
17 Jun 2005	337124	LBT03	23.77	15.00	11417689	KANE CTY/IL	
17 Jun 2005	337128	LBT69	20.83	15.00	11417657	KANE CTY/IL	
17 Jun 2005	337129	LBT77	20.53	15.00	11417671	KANE CTY/IL	
17 Jun 2005	337159	LBT4742	17.86	15.00	11417655	KANE CTY/IL	
17 Jun 2005	337183	LBT72	21.05	15.00	11417672	KANE CTY/IL	
17 Jun 2005	337184	LBT75	19.50	15.00	11417668	KANE CTY/IL	
17 Jun 2005	337187	LBT21	22.48	15.00	11417658	KANE CTY/IL	
17 Jun 2005	337194	LBT135	19.55	15.00	11417681	KANE CTY/IL	
17 Jun 2005	337220	LBT77	21.45	15.00	11417665	KANE CTY/IL	

Contract Total (37)

742.88

555.00

Report Total (37)

742.88

555.00

MISSING 336890 IN MAN 11417574 < 353
343

337284 not in Report

Mon # 11417662
Signed 6/20

193
37
230

Comprehensive Report
From: Jun 20, 2005 To: Jun 20, 2005
Specified Contract: OHL00353

Facility: All Facilities

DETAILED REPORT

Report Contents: Inbound And Outbound

Date In	Ticket Number	Vehicle	Disposal Qty.	Disposal Vol.	Reference	Origin Description	Contract
20 Jun 2005	337488	MIK95	19.35	15.00	11417652	KANE CTY/IL	OHL00353
20 Jun 2005	337483	BK99	19.25	100.00	11417651	KANE CTY/IL	
20 Jun 2005	337501	SS917	19.31	15.00	11417653	KANE CTY/IL	
20 Jun 2005	337506	HAR92	18.65	15.00	11417649	KANE CTY/IL	
20 Jun 2005	337539	LBT2	20.13	15.00	11417562	KANE CTY/IL	
20 Jun 2005	337575	LBT4742	19.26	15.00	11417551	KANE CTY/IL	
20 Jun 2005	337577	BK99	20.51	100.00	11417651	KANE CTY/IL	
20 Jun 2005	337580	LBT64	19.07	15.00	11417552	KANE CTY/IL	
20 Jun 2005	337597	LBT292	15.77	15.00	11417580	KANE CTY/IL	
20 Jun 2005	337615	LBT777	20.41	15.00	11417501	KANE CTY/IL	
20 Jun 2005	337680	MIK95	19.68	15.00	11417652	KANE CTY/IL	
20 Jun 2005	337685	BK99	18.99	100.00	11417651	KANE CTY/IL	
20 Jun 2005	337679	SS917	20.43	15.00	11417653	KANE CTY/IL	

Contract Total (13)

250.80

450.00

Report Total (13)

250.80

450.00

170.68 Total Tons

171.94 TON

5-LAN
8.5rs

OK
transfere

230
13
243

Complete Activity Report
From: Jun 21, 2005 To: Jun 21, 2005
Specified Contract: OHL00353

Facility: All Facilities

DETAILED REPORT

Report Contents: Inbound And Outbound

Date In	Ticket Number	Vehicle	Disposal Qty.	Disposal Vol.	Reference	Origin Description	Contract
21 Jun 2005	337728	LBT4	17.82	15.00	11417674	KANE CTY/IL	OHL00353
21 Jun 2005	337779	LBT64	19.15	15.00	11417647	KANE CTY/IL	
21 Jun 2005	337794	LBT3060	23.46	15.00	11417644	KANE CTY/IL	
21 Jun 2005	337798	LBT2	20.03	15.00	11417646	KANE CTY/IL	
21 Jun 2005	337800	LBT75	19.35	15.00	11417645	KANE CTY/IL	
21 Jun 2005	337804	LBT4742	20.88	15.00	11417675	KANE CTY/IL	
21 Jun 2005	337812	LBT135	19.53	15.00	11417676	KANE CTY/IL	
21 Jun 2005	337829	LBT35	21.05	15.00	11417678	KANE CTY/IL	
21 Jun 2005	337852	LBT17	19.50	15.00	11417677	KANE CTY/IL	
21 Jun 2005	337856	LBT64	17.17	15.00	11417647	KANE CTY/IL	
21 Jun 2005	337874	LBT3060	21.50	15.00	11417644	KANE CTY/IL	
21 Jun 2005	337888	LBT2	21.41	15.00	11417646	KANE CTY/IL	
21 Jun 2005	337891	LBT75	20.92	15.00	11417645	KANE CTY/IL	
21 Jun 2005	337803	LBT4742	19.79	15.00	11417675	KANE CTY/IL	
21 Jun 2005	337912	LBT77	22.33	15.00	11417679	KANE CTY/IL	
21 Jun 2005	337825	LBT135	19.36	15.00	11417676	KANE CTY/IL	
21 Jun 2005	337928	LBT64	17.09	15.00	11417647	KANE CTY/IL	
21 Jun 2005	337938	LBT3060	21.48	15.00	11417644	KANE CTY/IL	
21 Jun 2005	337939	LBT35	20.59	15.00	11417678	KANE CTY/IL	
21 Jun 2005	337959	LBT75	21.13	15.00	11417645	KANE CTY/IL	
21 Jun 2005	337960	LBT20	20.27	15.00	11417680	KANE CTY/IL	
21 Jun 2005	337983	LBT4742	19.32	15.00	11417675	KANE CTY/IL	
21 Jun 2005	337988	LBT64	17.22	15.00	11417647	KANE CTY/IL	
Contract Total (23)			460.55	345.00			
Report Total (23)			460.55	345.00			

*Complete**Missing 11417646
337888**243
23
266*

Jul 14 05 04:57p

EWS, INC.

6303653112

P. 12

Complete Activity Report
From: Jun 22, 2005 To: Jun 22, 2005
Specified Contract: OHL00353

Facility: All Facilities

DETAILED REPORT

Report Contents: Inbound And Outbound

Date In	Ticket Number	Vehicle	Disposal Qty.	Disposal Vol.	Reference	Origin Description	Contract
22 Jun 2005	338009	LBT135	19.00	15.00	11417689	KANE CTY/IL	OHL00353
22 Jun 2005	338011	LBT21	23.26	15.00	11417693	KANE CTY/IL	
22 Jun 2005	338012	LBT22	19.62	15.00	11417690	KANE CTY/IL	
22 Jun 2005	338015	LBT35	19.65	15.00	11417688	KANE CTY/IL	
22 Jun 2005	338018	LBT03	21.49	15.00	11417692	KANE CTY/IL	
22 Jun 2005	338020	LBT4742	20.35	15.00	11417694	KANE CTY/IL	
22 Jun 2005	338023	LBT3060	21.80	15.00	11417685	KANE CTY/IL	
22 Jun 2005	338028	LBT17	20.84	15.00	11417683	KANE CTY/IL	
22 Jun 2005	338029	LBT12	21.19	15.00	11417635	KANE CTY/IL	
22 Jun 2005	338033	LBT84	17.25	15.00	11417696	KANE CTY/IL	
22 Jun 2005	338034	LBT75	21.36	15.00	11417691	KANE CTY/IL	
22 Jun 2005	338036	LBT297	19.92	15.00	11417701	KANE CTY/IL	
22 Jun 2005	338081	LBT77	21.93	15.00	11417684	KANE CTY/IL	
22 Jun 2005	338082	LBT2	20.07	15.00	11417695	KANE CTY/IL	
22 Jun 2005	338073	LBT35	20.17	15.00	11417686	KANE CTY/IL	
22 Jun 2005	338081	LBT03	20.95	15.00	11417692	KANE CTY/IL	
22 Jun 2005	338084	SS909	18.81	15.00	11417698	KANE CTY/IL	
22 Jun 2005	338085	SS907	19.88	15.00	11417697	KANE CTY/IL	
22 Jun 2005	338090	VIA954	21.70	15.00	11417702	KANE CTY/IL	
22 Jun 2005	338092	SS397	20.46	15.00	11417699	KANE CTY/IL	
22 Jun 2005	338095	SS370	17.73	15.00	11417700	KANE CTY/IL	
22 Jun 2005	338096	LBT3060	25.40	15.00	11417685	KANE CTY/IL	
22 Jun 2005	338098	LBT17	20.58	15.00	11417683	KANE CTY/IL	
22 Jun 2005	338101	LBT135	19.75	15.00	11417689	KANE CTY/IL	
22 Jun 2005	338102	LBT75	21.91	15.00	11417691	KANE CTY/IL	
22 Jun 2005	338108	LBT297	20.80	15.00	11417701	KANE CTY/IL	
22 Jun 2005	338110	LBT4742	19.81	15.00	11417694	KANE CTY/IL	
22 Jun 2005	338112	LBT20	19.90	15.00	11417703	KANE CTY/IL	
22 Jun 2005	338128	LBT21	21.97	15.00	11417693	KANE CTY/IL	
22 Jun 2005	338129	LBT12	20.24	15.00	11417635	KANE CTY/IL	
22 Jun 2005	338133	LBT77	23.13	15.00	11417684	KANE CTY/IL	
22 Jun 2005	338138	LBT35	19.80	15.00	11417686	KANE CTY/IL	
22 Jun 2005	338142	LBT03	18.70	15.00	11417692	KANE CTY/IL	
22 Jun 2005	338157	SS908	17.61	15.00		KANE CTY/IL	
22 Jun 2005	338158	SS907	19.54	15.00	11417697	KANE CTY/IL	
22 Jun 2005	338168	STK370	20.39	15.00	11417700	KANE CTY/IL	
22 Jun 2005	338173	LBT3060	21.95	15.00	11417685	KANE CTY/IL	
22 Jun 2005	338183	LBT297	20.34	15.00	11417701	KANE CTY/IL	
22 Jun 2005	338189	LBT17	20.47	15.00	11417683	KANE CTY/IL	
22 Jun 2005	338200	LBT20	20.51	15.00	11417703	KANE CTY/IL	
22 Jun 2005	338207	LBT75	20.59	15.00	11417691	KANE CTY/IL	
22 Jun 2005	338210	LBT135	20.78	15.00	11417689	KANE CTY/IL	
22 Jun 2005	338218	LBT2	24.74	15.00	11417686	KANE CTY/IL	
22 Jun 2005	338220	LBT4742	20.81	15.00	11417694	KANE CTY/IL	
22 Jun 2005	338225	LBT35	19.92	15.00	11417686	KANE CTY/IL	
22 Jun 2005	338227	LBT03	21.26	15.00	11417692	KANE CTY/IL	
22 Jun 2005	338237	SS907	20.84	15.00	11417697	KANE CTY/IL	
22 Jun 2005	338240	SS909	18.74	15.00	11417698	KANE CTY/IL	
22 Jun 2005	338244	STK370	21.18	15.00	11417700	KANE CTY/IL	
22 Jun 2005	338248	LBT21	24.00	15.00	11417693	KANE CTY/IL	
22 Jun 2005	338251	LBT12	22.30	15.00	11417635	KANE CTY/IL	
22 Jun 2005	338257	LBT297	20.31	15.00	11417701	KANE CTY/IL	
22 Jun 2005	338261	LBT77	24.88	15.00	11417684	KANE CTY/IL	
22 Jun 2005	338262	LBT22	20.87	15.00	11417690	KANE CTY/IL	
22 Jun 2005	338264	LBT20	21.84	15.00	11417703	KANE CTY/IL	
22 Jun 2005	338267	LBT76	22.13	15.00	11417691	KANE CTY/IL	
22 Jun 2005	338283	LBT135	20.67	15.00	11417689	KANE CTY/IL	
22 Jun 2005	338312	LBT4742	20.06	15.00	11417694	KANE CTY/IL	
22 Jun 2005	338313	LBT2	18.80	15.00	11417695	KANE CTY/IL	
22 Jun 2005	338317	LBT03	21.34	15.00	11417707	KANE CTY/IL	

DUG Jun-23-05

Orchard Hills Landfill, Davis Junction T5

Page 1

286

Jul 14 05 04:57p

EWS, INC.

6303653112

p. 13

Complete Activity Report
From: Jun 22, 2005 To: Jun 22, 2005
Specified Contract: OHL00353

Facility: All Facilities

DETAILED REPORT

Report Contents: Inbound And Outbound

Date In	Ticket Number	Vehicle	Disposal Qty.	Disposal Vol.	Reference	Origin Description	Contract
Contract Total (60)			1,246.12	900.00			
Report Total (60)			1,246.12	900.00			

Missile 11417702
OK + JIF 8084, 8157
8290

complete
but

✓ 11417702
338436
→ signed on
6/22 on 6/23 report

266
- 60
326

Jul 14 05 04:57p

EWS, INC.

6303653112

p. 14

Complete Activity Report
From: Jun 23, 2005 To: Jun 23, 2005
Specified Contract: OHL00353

Facility: All Facilities

DETAILED REPORT

Report Contents: Inbound And Outbound

Date In	Ticket Number	Vehicle	Disposal Qty.	Disposal Vol.	Reference	Origin Description	Contract
23 Jun 2005	338324	LBT21	21.58	15.00	11417705	KANIE CTY/IL	OHL00353
23 Jun 2005	338325	LBT22	19.81	15.00	11417711	KANIE CTY/IL	
23 Jun 2005	338332	LBT35	21.77	15.00	11417704	KANIE CTY/IL	
23 Jun 2005	338334	LBT17	18.27	15.00		KANIE CTY/IL	
23 Jun 2005	338346	VIA954	18.70	15.00		KANIE CTY/IL	
23 Jun 2005	338352	LBT3060	23.39	15.00	11417702	KANIE CTY/IL	
23 Jun 2005	338354	LBT20	20.02	15.00	11417715	KANIE CTY/IL	
23 Jun 2005	338360	LBT297	18.83	15.00	11417710	KANIE CTY/IL	
23 Jun 2005	338365	LBT135	18.80	15.00	11417716	KANIE CTY/IL	
23 Jun 2005	338371	LBT77	23.79	15.00	11417712	KANIE CTY/IL	
23 Jun 2005	338385	LBT03	23.41	15.00	11417717	KANIE CTY/IL	
23 Jun 2005	338391	LBT35	22.57	15.00	11417704	KANIE CTY/IL	
23 Jun 2005	338392	LBT12	21.45	15.00	11417708	KANIE CTY/IL	
23 Jun 2005	338398	LBT17	20.22	15.00	11417708	KANIE CTY/IL	
23 Jun 2005	338407	LBT3080	23.05	15.00	11417715	KANIE CTY/IL	
23 Jun 2005	338412	LBT2	21.25	15.00	11417718	KANIE CTY/IL	
23 Jun 2005	338414	LBT135	13.00	15.00	11417718	KANIE CTY/IL	
23 Jun 2005	338418	LBT4742	18.22	15.00	11417719	KANIE CTY/IL	
23 Jun 2005	338420	LBT297	20.32	15.00	11417710	KANIE CTY/IL	
23 Jun 2005	338426	LBT20	21.08	15.00	11417713	KANIE CTY/IL	
23 Jun 2005	338434	LBT75	21.10	15.00	11417714	KANIE CTY/IL	
23 Jun 2005	338447	LBT77	20.29	15.00	11417712	KANIE CTY/IL	
23 Jun 2005	338456	LBT03	18.98	15.00	11417717	KANIE CTY/IL	
23 Jun 2005	338460	LBT35	19.48	15.00	11417704	KANIE CTY/IL	
23 Jun 2005	338468	LBT17	19.97	15.00	11417708	KANIE CTY/IL	
23 Jun 2005	338488	LBT3080	20.04	15.00	11417715	KANIE CTY/IL	
23 Jun 2005	338497	LBT135	18.83	15.00	11417718	KANIE CTY/IL	
23 Jun 2005	338498	LBT2	21.84	15.00	11417718	KANIE CTY/IL	
23 Jun 2005	338500	LBT297	19.39	15.00	11417710	KANIE CTY/IL	
23 Jun 2005	338522	LBT20	21.40	15.00	11417713	KANIE CTY/IL	
23 Jun 2005	338534	LBT03	18.58	15.00	11417717	KANIE CTY/IL	
23 Jun 2005	338538	LBT75	20.53	15.00	11417714	KANIE CTY/IL	
23 Jun 2005	338537	LBT77	21.77	15.00	11417712	KANIE CTY/IL	
23 Jun 2005	338540	LBT35	19.94	15.00	11417704	KANIE CTY/IL	
23 Jun 2005	338542	LBT17	20.46	15.00	11417708	KANIE CTY/IL	
23 Jun 2005	338552	LBT3080	19.90	15.00	11417715	KANIE CTY/IL	
23 Jun 2005	338558	LBT4742	18.43	15.00	11417719	KANIE CTY/IL	
23 Jun 2005	338564	LBT297	16.60	15.00	11417710	KANIE CTY/IL	
23 Jun 2005	338583	LBT20	20.30	15.00	11417713	KANIE CTY/IL	
23 Jun 2005	338604	LBT35	15.30	15.00	11417720	KANIE CTY/IL	
23 Jun 2005	338605	LBT77	22.97	15.00	11417712	KANIE CTY/IL	
23 Jun 2005	338608	LBT03	19.97	15.00	11417717	KANIE CTY/IL	
23 Jun 2005	338610	LBT75	16.59	15.00	11417714	KANIE CTY/IL	
23 Jun 2005	338613	LBT17	15.65	15.00	11417721	KANIE CTY/IL	

Contract Total (44)

884.20

880.00

Report Total (44)

884.20

880.00

328
44
370

Complete
via

954 - SRS
or
LAZAR?

DUG Jun-27-05

Orchard Hills Landfill, Davis Junction TS

Page 1